

Title	Research on the electrical breakdown process in noble gases
Sub Title	
Author	桑野, 博(Kuwano, Hiroshi)
Publisher	慶應義塾大学藤原記念工学部
Publication year	1964
Jtitle	Proceedings of the Fujihara Memorial Faculty of Engineering Keio University (慶應義塾大学藤原記念工学部研究報告). Vol.17, No.66 (1964.) ,p.66(22)- 66(22)
JaLC DOI	
Abstract	
Notes	Summaries of Doctor and Master Theses Master of Engineering, 1964 Electrical Engineering
Genre	Departmental Bulletin Paper
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=KO50001004-00170066-0022

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Research on the Electrical Breakdown Process in Noble Gases

Hiroshi KUWANO*

The electrical breakdown mechanism in gas has been previously investigated by many investigators, theoretically or experimentally. But in those investigations, only the gap conditions have been taken into consideration, and the conditions of electrode surface have not been considered.

In this study, it is explained that in case the rectangular impulse voltage is imposed on parallel plate electrodes in N_2 gas, the condition of the electrode surface or gas purity makes remarkable effect upon the sparking potential, the formative time lag, the time process of current buildup, etc, at comparatively low pl. That is

- (1) According as the electrode surface becomes clearer, the sparking potential becomes lower. But on the other hand, the formative time lag increases according to the advance of the clearance of the cathode. Especially when the electrode has been treated with high frequency heating device, one becomes to the order of some milli-seconds, and at a certain pl over the critical pl, the breakdown mechanism shows such procedure as glow discharge to glow discharge.
- (2) Assuming the time process of the current buildup as $I=I_0e^{(1/\theta)t}$, the time constant for the buildup of the discharge, θ , is directly proportional to formative time lag, T_f , without the condition of the electrode.
- (3) It is known that time lag of the spark, T_g , contains the formative time lag and the statistical time lag. By examining time constant, θ , it becomes clear that the formative time lag also has some fluctuations.

On the other way, for the purpose of examining whether these phenomena are the peculiarity of N_2 gas or not, the same experiments were performed in not only N_2 gas but Ar gas considered as chemically comparatively stable, on same condition of the electrode surface. And it became clear that the same phenomenon happens in Ar gas as well as N_2 gas.

*桑野 博