

Title	AN EMPIRICAL ANALYSIS OF LABOR DEMAND
Sub Title	
Author	SAKURAMOTO, Hikaru
Publisher	Keio Economic Society, Keio University
Publication year	1978
Jtitle	Keio economic studies Vol.15, No.1 (1978. ) ,p.163- 182
JaLC DOI	
Abstract	
Notes	
Genre	Journal Article
URL	<a href="https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AA00260492-19780001-0163">https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AA00260492-19780001-0163</a>

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

## Chapter 5

### AN EMPIRICAL ANALYSIS OF LABOR DEMAND\*

Hikaru SAKURAMOTO

#### INTRODUCTION

Some conspicuous changes emerged in labor market trends since about 1970 in the Japanese economy. These changes are, in short, substantial increases in the levels of output and of real capital stock on the one hand and the slow rate of growth in the number of employed persons and even a decline in the number of employees on the other. The purpose of this paper is to analyze these changes in the labor market.

In Section 1, we will introduce a model of labor demand which is built upon a production function.<sup>1</sup>

In Section 2, we will analyze reasons why these changes took place in the labor market on the basis of our empirical quantitative analysis of selected industries.

The production function on which our analysis will be based has the following four properties:

- (1) The labor input consists of male and female labor which is explicitly divided in the model,<sup>2</sup>
- (2) For a given level of output, the capital stock and the two kinds of labor demand are perfectly complementary with each other,

\* An earlier version of this paper was presented at Rokko Econometric Conference held in September 1975. I gratefully appreciate valuable comments of Professors Mitsuo Saito of Kobe University, Akira Ono of Seikei University, Kotaro Tsujimura, Kei-ichiro Obi, Shunsaku Nishikawa Masahiro Kuroda and other members of the Keio Economic Observatory of Keio University.

<sup>1</sup> This study draws heavily on the specification of the production function developed by professor Kei-ichiro Obi [3]. Professor Obi has attempted a variety of alternative specifications of labor and capital input functions to analyze the data of various industries for the period of 1953 to 1969. I took advantage, in this study, of using the specifications which produced relatively better results in Professor Obi's research.

<sup>2</sup> There are two basic reasons why male and female labor inputs are explicitly distinguished in the model. One relates to the fact widely acknowledged ever since the pioneering research of late Professor Douglas [1] that the patterns of behavior and the roles of males and females are usually clearly different in determining the household's supply of labor services. The fact may be expressed, in short, as that the labor supply of principal earner of the household (usually the male household head) is inelastic with the market wage rate while that of other household members (notably the wife of the household head) is elastic with market wage rates and also closely and inversely related to the income of the principal earner. The other reason relates to the fact that male and female labor services are often quite different in quality from the viewpoint of the employer. For these reasons it is imperative to distinguish between male and female labor in constructing a general labor market model in which both labor demand and supply and their interactions are appropriately specified.

(3) For a given level of output, the combination of capital stock and the number of male and female workers depends on the ratio of male to female workers,

(4) For a given level of output, the extent to which male and female workers are substituted with each other depends upon the level of capital stock.

#### SECTION 1. MALE-FEMALE LABOR DEMAND MODEL FOR INDUSTRIES

This model is the base of the theory of firm and can be represented as

$$(1) \quad Q=f(L_m, L_f); \text{ Labor Input Function,}$$

where  $Q$  is the level of capacity of plant,  $L_m$  is the input of male labor, also  $L_f$  is the input of female labor and  $f$  is a function that is generally assumed to be continuously differential, so that the partial derivatives are continuous. (1) represents the case of a firm in which male and female labor are substitutable for the given capacity.

$$(2) \quad K=g(L_f/L_m, Q); \text{ Capital Input Function,}$$

where  $K$  is the amount of capital, (2) assumes that capital stock varies with different combinations of female and male labor for the given capacity.

$$(3) \quad C=W_m L_m + W_f L_f + rK; \text{ Total Cost Function,}$$

where  $W_m$  and  $W_f$  are male and female wages respectively and  $r$  is the unit cost of capital. Here it is assumed that  $\bar{W}_m$ ,  $\bar{W}_f$ ,  $\bar{r}$ , and  $\bar{Q}$  are exogenous variables while  $L_m$ ,  $L_f$ ,  $K$  are endogenous variables. So the problem of the firm in this case of two labor inputs and one capital input is expressed as that of choosing three inputs  $L_m$ ,  $L_f$  and  $K$  so as to minimize the cost (3) or  $C=W_m L_m + W_f L_f + rK$  subject to (1) and (2), that is

$$\begin{aligned} \text{Min } \varphi &= C + \lambda(\bar{Q} - f(L, L_f)) = \bar{W}_m L_m + \bar{W}_f L_f + \bar{r}K + \lambda(\bar{Q} - f(L_m, L_f)) \\ &= \bar{W}_m L_m + \bar{W}_f L_f + \bar{r}g\left(\frac{L_m}{L_f}, \bar{Q}\right) + \lambda(\bar{Q} - f(L_m, L_f)). \end{aligned}$$

The necessary (first-order) conditions for cost minimization are

$$(4) \quad \frac{\partial \varphi}{\partial L_m} = \bar{W}_m + \bar{r} \frac{\partial g}{\partial L_m} - \lambda \frac{\partial f}{\partial L_m} = 0$$

$$(5) \quad \frac{\partial \varphi}{\partial L_f} = \bar{W}_f + \bar{r} \frac{\partial g}{\partial L_f} - \lambda \frac{\partial f}{\partial L_f} = 0$$

These conditions require that

$$(6) \quad \frac{\partial f}{\partial L_m} \bigg/ \left( \bar{W}_m + \bar{r} \frac{\partial g}{\partial L_m} \right) = \frac{\partial f}{\partial L_f} \bigg/ \left( \bar{W}_f + \bar{r} \frac{\partial g}{\partial L_f} \right).$$

These conditions state that the marginal product of male or female labor input must equal not only its wage rate but also the unit cost of capital and that the value of equilibrium changes with changes in capital stock. One of the most

widely used functions for empirical estimation of equation (1) is the Cobb-Douglas function of the form

$$(1)' \quad \bar{Q} = aL_m^b L_f^c$$

where  $a, b, c$  are positive parameters. And also (2) is specified of the form

$$(2)' \quad K = \alpha + \beta \frac{L_f}{L_m} + \gamma \bar{Q}.$$

So (6) is reduced to the form

$$(6)' \quad \frac{L_m \bar{W}_m}{L_f \bar{W}_f} = \left(\frac{b}{c}\right) + \left(\frac{b}{c} + 1\right) \frac{\bar{r}}{L_m \bar{W}_f}.$$

Here let us summarize the parameters' conditions.

In (1)' the following equation is derived with the definitive equation  $L = L_m + L_f$ .

$$Q = aL^{(b+c)} \left(\frac{L_m}{L_f}\right)^b \left(1 + \frac{L_m}{L_f}\right)^{-(b+c)}$$

And the following equation is obtained as the partial derivative of  $Q$  with respect to the ratio of male to female labor.

$$\frac{\partial Q}{\partial (L_m/L_f)} = aL^{(b+c)} \left(\frac{L_m}{L_f}\right)^{(b-1)} \left(1 + \frac{L_m}{L_f}\right)^{-(b+c)-1} \left(b - c \frac{L_m}{L_f}\right)$$

Here if

$$\frac{L_m}{L_f} < \frac{b}{c} \text{ then } \textcircled{1} \quad \frac{\partial (L_m/L_f)}{\partial Q} > 0$$

and otherwise

$$\frac{L_m}{L_f} \geq \frac{b}{c} \text{ then } \textcircled{2} \quad \frac{\partial (L_m/L_f)}{\partial Q} \leq 0$$

And similarly the following equation is derived.

$$L = a^{1/(b+c)} \left(\frac{L_m}{L_f}\right)^{-b/(b+c)} \left(1 + \frac{L_m}{L_f}\right) Q^{1/(b+c)}$$

And also the following equation is obtained as the partial derivative of  $L$  with respect to the ratio of male to female labor.

$$\frac{\partial L}{\partial (L_m/L_f)} = \frac{a^{-1/(b+c)}}{(b+c)} \left(-b + c \frac{L_m}{L_f}\right) Q^{1/(b+c)}$$

Here if

$$\frac{L_m}{L_f} < \frac{b}{c} \text{ then } \frac{\partial L}{\partial (L_m/L_f)} < 0$$

and otherwise

$$\frac{L_m}{L_f} \geq \frac{b}{c} \text{ then } \frac{\partial L}{\partial (L_m/L_f)} \geq 0,$$

In (2)' parameter  $\gamma$  is assumed to be fixed positive, and if  $\beta$  is positive we obtain the following relation:

$$\frac{\partial K}{\partial(L_f/L_m)} > 0 \quad \text{or} \quad \frac{\partial K}{\partial(L_m/L_f)} < 0,$$

that is, the amount of capital stock increases with an increase in the ratio of female to male labor input.

And if  $\beta$  is not positive, we gain also the following relation:

$$\frac{\partial K}{\partial(L_f/L_m)} < 0 \quad \text{or} \quad \frac{\partial K}{\partial(L_m/L_f)} > 0,$$

that is, the level of capacity decreases with an increase in the ratio of female to male labor input.

And the second-order conditions of cost minimum are:

$$\begin{vmatrix} \frac{\partial^2 C}{\partial L_m^2} & \frac{\partial^2 C}{\partial L_f \partial L_m} \\ \frac{\partial^2 C}{\partial L_m \partial L_f} & \frac{\partial^2 C}{\partial L_f^2} \end{vmatrix} > 0, \quad \frac{\partial^2 C}{\partial L_m^2} > 0 \quad \text{or} \quad \frac{\partial^2 C}{\partial L_f^2} > 0$$

that is:

$$\textcircled{1} \quad \frac{\partial^2 C}{\partial L_m^2} = \left(\frac{b}{c} + 1\right) \frac{L_f}{L_m^2} \left(\frac{b}{c} W_f + \left(\frac{b}{c} + 2\right) \beta \gamma \frac{1}{L_m}\right)$$

$$\textcircled{2} \quad \frac{\partial^2 C}{\partial L_f^2} = \frac{c}{b} \left(\frac{c}{b} + 1\right) \frac{1}{L_f} \left(\frac{W_m L_m}{L_f} + \beta \gamma \frac{1}{L_m}\right)$$

$$\begin{aligned} \textcircled{3} \quad & \frac{\partial^2 C}{\partial L_m^2} \cdot \frac{\partial^2 C}{\partial L_f^2} - \frac{\partial^2 C}{\partial L_f \partial L_m} \cdot \frac{\partial^2 C}{\partial L_m \partial L_f} \\ &= \frac{1}{L_m} \left\{ \frac{W_m W_f}{L_f} \left(\frac{c}{b} + \frac{b}{c} + 1\right) + \frac{\beta^2 \gamma^2}{L_m^3} \frac{2(b+c)}{b^2} \right\} \\ &+ \frac{\beta \gamma}{L_m^2} \frac{(b+c)}{b} \left\{ \frac{W_m}{L_f} \left(\frac{2c}{b} + \frac{b}{c} + 2\right) + \frac{L_f}{L_m} \right\} \end{aligned}$$

Conditions ①, ② and ③ are satisfied if all parameters  $a, b, c, \beta, \gamma$  are positive. If  $\beta$  is negative and other parameters are positive, whether all conditions satisfied or not depends on the sign of  $(b/c)W_f + (b/c + 2)\beta\gamma(1/L_m)$  in ①, the sign of  $W_m L_m/L_f + \beta\gamma(1/L_m)$  in ②, and also on the sign of equation ③.

Totally differentiating function (1)', in which capacity is fixed, will give the following equation:

$$\frac{\partial Q}{\partial L_m} dL_m + \frac{\partial Q}{\partial L_f} dL_f = 0$$

then we can get the marginal substitution ratio of female to male labor.

$$(7) \quad -\frac{dL_f}{dL_m} = \frac{\partial Q/\partial L_m}{\partial Q/\partial L_f} = \frac{b}{c} \frac{Q/L_m}{Q/L_f} = \frac{b}{c} \frac{L_f}{L_m}$$

and in (2)' we can get the elasticity of capital to the female-male labor ratio:

$$(8) \quad \frac{\partial K/K}{\partial(L_f/L_m)/(L_f/L_m)} = \frac{\partial K}{\partial(L_f/L_m)} \cdot \frac{1}{K} \cdot \frac{L_f}{L_m} = \frac{\beta}{K} \cdot \frac{L_f}{L_m}$$

and also we can get the elasticity of capital to capacity.

$$(9) \quad \frac{\partial K/K}{\partial Q/Q} = \frac{\partial K}{\partial Q} \cdot \frac{Q}{K} = r \frac{Q}{K}$$

Now the two first order conditions in (4), (5) and the labor input function in (1)' form a system of three simultaneous equations that determine cost-minimizing inputs  $L_m$ ,  $L_f$ ,  $K$ . However, we can not solve this directly because it is a non-linear system.

So we describe the reduce form as (10), (11), (12).

$$(10) \quad L_m = \varphi(Q, W_m, W_f, r)$$

$$(11) \quad L_f = \psi(Q, W_m, W_f, r)$$

$$(12) \quad K = H(Q, W_m, W_f, r)$$

Totally differentiating these equations we obtain the following equations:

$$(13) \quad dL_m = \frac{\partial \varphi}{\partial Q} dQ + \frac{\partial \varphi}{\partial W_m} dW_m + \frac{\partial \varphi}{\partial W_f} dW_f + \frac{\partial \varphi}{\partial r} dr$$

$$(14) \quad dL_f = \frac{\partial \psi}{\partial Q} dQ + \frac{\partial \psi}{\partial W_m} dW_m + \frac{\partial \psi}{\partial W_f} dW_f + \frac{\partial \psi}{\partial r} dr$$

$$(15) \quad dK = \frac{\partial H}{\partial Q} dQ + \frac{\partial H}{\partial W_m} dW_m + \frac{\partial H}{\partial W_f} dW_f + \frac{\partial H}{\partial r} dr$$

Here if parameters  $a$ ,  $b$ ,  $c$ ,  $\beta$ ,  $\gamma$  are positive, the sign of the partial derivatives are

$$\begin{array}{cccc} \frac{\partial \varphi}{\partial Q} > 0 & \frac{\partial \varphi}{\partial W_m} < 0 & \frac{\partial \varphi}{\partial W_f} > 0 & \frac{\partial \varphi}{\partial r} > 0 \\ \frac{\partial \psi}{\partial Q} > 0 & \frac{\partial \psi}{\partial W_m} > 0 & \frac{\partial \psi}{\partial W_f} < 0 & \frac{\partial \psi}{\partial r} < 0 \\ \frac{\partial H}{\partial Q} > 0 & \frac{\partial H}{\partial W_m} > 0 & \frac{\partial H}{\partial W_f} < 0 & \frac{\partial H}{\partial r} < 0 \end{array}$$

These state that demands for male and female labor and for capital depend upon not only on changes in the capacity of plant but also on wages and unit cost of capital.

(13) plus (14) represents the change of total demand labor, that is

$$\begin{aligned} dL &= dL_m + dL_f \\ &= \left( \frac{\partial \varphi}{\partial Q} + \frac{\partial \psi}{\partial Q} \right) dQ + \left( \frac{\partial \varphi}{\partial W_m} + \frac{\partial \psi}{\partial W_m} \right) dW_m + \left( \frac{\partial \varphi}{\partial W_f} + \frac{\partial \psi}{\partial W_f} \right) dW_f \\ &\quad + \left( \frac{\partial \varphi}{\partial r} + \frac{\partial \psi}{\partial r} \right) dr. \end{aligned}$$

In Section 3 we will see that in the process of rapid economic growth, changes in the total demand for labor depend mainly upon changes in productive capacity, but in the phase of slower growth changes in male-female wage differentials and changes in unit cost of capital play an important role in determining the total labor demand.

## SECTION 2. ESTIMATED RESULTS OF MALE-FEMALE LABOR DEMAND MODELS FOR DIFFERENT INDUSTRIES

Tables 1 and 2 presents the results of estimation using directly the multiple regression method. According to the results, we notice that in many industries the theoretical sign conditions  $a > 0$ ,  $b > 0$ ,  $c > 0$  are not satisfied and estimates are not statistically significant. In the next step, we therefore estimated a reduced form equation (3) in order to circumvent the problem of multicollinearity. The result is shown in Table 3.

Let us substitute  $A = b/c$  and  $B = (b/c + 1) \beta$  in equation (6)';

$$\frac{W_m L_m}{W_f L_f} = \left( \frac{b}{c} \right) + \left( \frac{b}{c} + 1 \right) \beta \frac{P_k(i + de)}{W_f L_m}.$$

The results presented in Table 3 indicate that parameters of  $A$  and  $B$  are statistically significant. The sign condition  $A > 0$  is also satisfied. The value of  $\beta$  which is obtained by the relation  $\beta = B/(A + 1)$  is negative for the sectors of oil and coal, and textile products and therefore casts doubt on whether the second order condition for cost minimization is satisfied. An examination of the second order condition reveals that the condition is satisfied for oil and coal industry while unsatisfied for textile industry for the period 1955 to 1960. This may be the consequence of changes in the product mix in textile industry.

The value of  $A = b/c$  indicates the male-female labor mix for each industry. The low values for textile and monetary, insurance and real estate industries indicate that the weight of female labor in production for these industries is high, while the high values for mining, primary metals, transportation equipment, oil and coal, transportation, communication and public utilities, and construction suggest that the relative contribution of male labor is high for these industries. The results also show that the condition  $L_m/L_f < b/c$  is satisfied for all industry sectors.

We then estimate equation (1)' utilizing the estimated value of parameter  $A$ . We estimate  $a$  and  $b$  from equation  $Q = a(L_m L_f^{(1/A)})^b$  which was derived from  $Q = a(L_m L_f^{(c/b)})^b$  by setting  $c/b = 1/A$ . The results of estimation are shown in Table 4.

The expected sign condition  $b > 0$  is satisfied and statistically significant in all sectors except mining. Thus we can estimate the values of  $a$ ,  $b$  and  $c$  from the relation  $c = b/A$ . Using the estimates of  $A$  and  $B$ , we can compute the value for  $\beta$ . Further we can compute  $\alpha$  and  $\beta$  using the relationship  $K - \beta \cdot L_f/L_m = \alpha + \gamma Q$ . The results are presented in Table 5.

TABLE 1.  $Q_j = a_j L_m^{b_j} L_f^{c_j}$ 

	$\log a_j$	$a_j$	$b_j$	$c_j$	$\bar{r}$	D.W.
4. Mining	9.0022 (0.7232)	.8121E-04	0.1515 (0.4173)	-0.01684 (0.5431)	0.8753	0.9862
5. Food	-13.7808 (3.4907)	.1035E-05	2.9580 (0.8189)	0.6185 (0.3548)	0.9213	0.5854
6. Textile products	-14.2603 (2.9046)	.6140E-06	2.4677 (0.1527)	1.0375 (0.3749)	0.9687	1.6114
7. Pulp paper and products	-17.3931 (2.6207)	.2794E-07	5.8754 (1.0347)	-1.7098 (0.7371)	0.9486	0.7102
8. Chemical and related products	-26.1189 (8.4480)	.4536E-11	3.8333 (3.5086)	2.2045 (2.6862)	0.9392	0.3596
9. Petroleum and coal products	-12.1323 (1.8569)	.5383E-05	5.7507 (0.5943)	-0.8307 (0.6184)	0.9291	0.6896
10. Stone, Clay and glass products	-19.3888 (1.1964)	.3798E-08	6.9518 (0.8801)	-2.9634 (0.8598)	0.9887	1.6059
11. Iron and Steel	-25.7723 (4.7017)	.6416E-11	7.1152 (1.2354)	-2.6381 (0.7770)	0.9559	1.1497
12. Fabricated metal products	-9.0193 (1.8890)	.1210E-03	2.2913 (0.8177)	0.2237 (0.6587)	0.9913	0.8145
13. Machinery	-4.6248 (6.1202)	.9806E-02	1.2516 (1.9578)	0.8860 (1.4117)	0.9265	0.2704
14. Electrical machinery and equipments	-4.0882 (1.8850)	.1677E-01	0.8361 (0.7174)	1.1295 (0.4609)	0.9904	0.6502
15. Transportation equipment	-11.7703 (2.3251)	.7731E-05	2.7412 (0.6837)	0.4832 (0.4772)	0.9966	1.6350
16. Precision Instruments	-12.4872 (2.2962)	.3774E-05	3.8667 (1.0018)	-0.1024 (0.6019)	0.9886	0.7156
17. Other Manufacturing industries	-16.0545 (2.9802)	.1066E-06	2.9843 (1.0221)	0.3255 (0.7072)	0.9640	0.3762
18. Transportation communication and public utilities	-15.7959 (0.7336)	.1380E-06	3.5557 (0.2221)	-0.6055 (0.2254)	0.9927	0.9001
19. Construction	-3.5547 (1.5954)	.2859E-01	0.8026 (0.3384)	0.9776 (0.1830)	0.9935	0.9200
20. Wholesale and retail trade	-15.7819 (2.0178)	.1400E-06	2.3580 (0.6811)	0.5421 (0.5028)	0.9815	0.6570
21. Financial, insurance and real estate dealing	-9.1062 (3.3808)	.1109E-03	2.8080 (0.9695)	-0.0662 (0.4534)	0.9814	0.5444

Note: Numbers in parentheses are standard errors.

It is found that all sectors satisfy the sign condition  $\gamma > 0$  and are statistically significant. The value of  $\alpha$ , however, has different signs for different sectors



TABLE 2.  $K_j = \alpha + \beta \cdot L_j/L_m + \gamma Q_j$ 

	$\alpha$	$\beta$	$r$	$\bar{r}$	D.W.
4. Mining	-1,547.6214 (279.8103)	13,241.2930 (3,723.6813)	2.0085 (0.3120)	0.9404	0.9101
5. Food	-12.5456 (300.1715)	-1,419.0269 (428.1132)	0.4647 (0.0215)	0.9864	0.9604
6. Textile products	3,948.6041 (7073.3165)	-1,186.2100 (208.1842)	0.2238 (0.0869)	0.9812	1.4016
7. Pulp paper and products	155.8238 (134.5990)	-529.6629 (346.5565)	0.6091 (0.0165)	0.9942	0.9316
8. Chemical and related products	3,706.1711 (1,472.2915)	-0.000001 (4,687.4427)	0.7508 (0.0270)	0.9934	0.7955
9. Petroleum and coal products	83.3233 (83.9982)	-85.2410 (399.1196)	0.3205 (0.0103)	0.9940	1.0495
10. Stone, clay and glass products	1,130.7077 (722.5867)	-2,749.4750 (1,772.9133)	0.6469 (0.0279)	0.9856	0.7563
11. Iron and Steel	219.8267 (1,0530.0871)	-2,680.3100 (10,234.9880)	0.5703 (0.0385)	0.9756	0.9491
12. Fabricated metal products	520.6925 (371.1561)	-2,284.9870 (1,391.0353)	0.3927 (0.0331)	0.9718	0.6510
13. Machinery	446.6808 (240.5069)	-2,676.7080 (1,495.7259)	0.2190 (0.0121)	0.9872	0.9769
14. Electrical machinery and equipments	-153.6233 (300.0301)	643.4980 (595.4454)	0.2525 (0.0286)	0.9735	1.0019
15. Transportation equipment	570.4597 (751.0188)	-5,321.3900 (6,821.2751)	0.4436 (0.0374)	0.9859	0.7311
16. Precision instruments	65.0028 (17.4918)	-81.7728 (32.9967)	0.3203 (0.0082)	0.9975	2.3953
17. Other manufacturing industries	-531.9959 (759.7285)	399.2260 (1,292.7173)	0.3586 (0.0247)	0.9826	0.4429
18. Transportation communication and public utilities	752.0871 (935.5346)	-1,470.3200 (5,476.7214)	1.3790 (0.0241)	0.9981	1.2548
19. Construction	658.7935 (404.0401)	-10,828.7000 (3,688.7478)	0.3281 (0.0340)	0.9819	0.7051
20. Wholesale and retail trade	4,219.9558 (898.6190)	-5,453.2220 (1,498.6993)	0.6624 (0.0211)	0.9939	0.8093
21. Financial, insurance and real estate dealing	-575.4876 (152.0225)	-287.8740 (266.6752)	0.5834 (0.0221)	0.9973	0.8074

and often is not statistically significant. Table 6 presents the estimates of parameters  $a$ ,  $b$ ,  $c$ ,  $\alpha$ ,  $\beta$  and  $\gamma$  which have been obtained by the procedure described above.

The parameters obtained from regression of equations (1)' and (2)' are not

TABLE 3.  $\frac{W_{mj}L_{mj}}{W_{fj}L_{fj}} = \frac{b_j}{c_j} + \left(\frac{b_j}{c_j} + 1\right)\beta_j \frac{P_k(i+de_j)}{W_{fj}L_{mj}}$ 

	$b/c$	$(b/c+1)\beta$	$\bar{r}$	D.W.
4. Mining	13.5488 (1.9340)	4,6445.390 (813.5570)	0.8063	0.8386
5. Food	1.8631 (0.1126)	591.9762 ( 66.7026)	0.9059	0.8999
6. Textile products	1.0795 (0.0381)	-66.3082 ( 16.3880)	-0.6891	0.4321
7. Pulp paper and products	4.3729 (0.1886)	282.6364 ( 35.8770)	0.8844	0.4426
8. Chemical and related products	5.3200 (0.0673)	440.3453 ( 26.1017)	0.9713	1.5035
9. Petroleum and coal products	12.1089 (0.6077)	-12.3509 ( 0.2815)	0	1.8262
10. Stone, clay and glass products	4.6912 (0.0510)	196.0050 ( 11.2092)	0.9732	2.0424
11. Iron and steal	12.9283 (0.5443)	2,851.3775 (335.3846)	0.8986	0.9817
12. Fabricated metal products	5.5650 (0.0894)	379.1801 ( 28.0671)	0.9562	1.4555
13. Machinery	8.1340 (0.1907)	1,611.0429 (101.7715)	0.9676	1.4076
14. Electrical machinery and equipments	2.2269 (0.0716)	472.6496 ( 21.3270)	0.9831	1.4215
15. Transportation equipment	12.5224 (0.3523)	1,926.0608 (188.4483)	0.9268	0.4549
16. Precision instruments	2.2234 (0.0753)	102.0622 ( 6.8468)	0.9637	0.9407
17. Other manufacturing industries	2.6684 (0.0693)	652.9274 ( 81.6386)	0.8874	1.6413
18. Transportation communication and utilities	9.3592 (0.2569)	1,551.6881 (615.3380)	0.4896	0.8317
19. Construction	8.7611 (0.3708)	5,318.4651 (442.7077)	0.9455	1.2510
20. Wholesale and retail trade	2.4520 (0.0517)	2,611.8312 (160.8511)	0.9691	0.8676
21. Financial, insurance and real estate dealing	1.4682 (0.1033)	471.3059 ( 41.5842)	0.9393	0.3273

stable. This is probably due to the effect of multicollinearity. However, we were able to obtain statistically significant parameters by the regression of equation (6)' which is derived from equations (1)' and (2)' on the basis of the cost

TABLE 4.  $Q_j = a_j(L_m L_f^{c_j/b_j})^{b_j}$ 

	$\log a$	$a$	$b$	$\bar{r}$	D.W.
4. Mining	9.9637 ( 0.5513)	21,240.259	-0.6181 (0.0905)	-0.8537	0.5111
5. Food	-10.0757 ( 1.9376)	.4209E-04	1.9519 (0.2032)	0.9181	0.2723
6. Textile products	-21.7144 ( 2.3678)	.3711E-09	2.3748 (0.1904)	0.9492	0.9404
7. Pulp paper and products	-10.4950 ( 1.8141)	.2767E-04	2.6825 (0.2788)	0.9184	0.2012
8. Chemical and related products	-29.5443 ( 3.2162)	.1476E-12	5.3739 (0.4629)	0.9419	0.3617
9. Petroleum and coal products	-12.1234 ( 2.0293)	.5431E-05	5.0861 (0.5418)	0.9147	0.2403
10. Stone, clay and glass products	-15.7534 ( 1.2090)	.1440E-06	3.2435 (0.1738)	0.9764	0.3977
11. Iron and steal	-9.3042 ( 1.8174)	.9104E-04	2.6556 (0.2723)	0.9203	0.3713
12. Fabricated metal products	-8.5944 ( 0.4850)	.1851E-03	2.1011 (0.0654)	0.9919	0.8088
13. Machinery	-7.2592 ( 1.4412)	.7037E-03	2.1153 (0.2014)	0.9303	0.3026
14. Electrical machinery and equipments	-5.8524 ( 0.4562)	.2873E-02	1.5264 (0.0515)	0.9904	0.8016
15. Transportation equipment	-12.9065 ( 0.4080)	.2482E-05	3.0795 (0.0607)	0.9967	1.7029
16. Precision instruments	-8.5706 ( 0.5702)	.1896E-03	2.1150 (0.0833)	0.9870	0.3832
17. Other manufacturing industries	-14.1745 ( 1.4817)	.6983E-06	2.2449 (0.1475)	0.9651	0.2875
18. Transportation communication and public utilities	-14.7076 ( 0.9477)	.4098E-06	2.7310 (0.1123)	0.9859	0.4575
19. Construction	-9.6190 ( 0.7103)	.6646E-04	2.1388 (0.0831)	0.9874	0.6972
20. Wholesale and retail trade	-14.8748 ( 1.0794)	.3467E-06	1.9939 (0.0918)	0.9824	0.5863
21. Financial, insurance and real estate dealing	-3.1635 ( 0.5742)	.4228E-01	1.0844 (0.0549)	0.9789	0.2661

minimization principle. This model represented by equation (6)', however, is not a reduced form in the strict sense of the word since this model treats the variables  $Q$ ,  $W_m$ ,  $W_f$  and  $r$  as exogeneous variables and variables  $L_m$ ,  $L_f$  and  $K$  as endogeneous variables. Making the variable  $L_m$  which is in the right hand

TABLE 5.  $K_j - \beta \cdot L_{fj} / L_{mj} = \alpha + \gamma Q_j$ 

	$\alpha$	$\gamma$	$\tilde{\gamma}$	D.W.
4. Mining	-688.3782 (169.4371)	2.6738 (0.3200)	0.8944	0.2742
5. Food	-1,091.3182 (131.15247)	0.4160 (0.00233)	0.9742	0.4344
6. Textile products	60.5420 (156.7071)	0.6679 (0.0569)	0.9431	0.5406
7. Pulp, paper and products	-67.0263 ( 24.1677)	0.6017 (0.0167)	0.9935	0.8731
8. Chemical and related products	-7.6691 ( 89.2511)	0.7046 (0.0229)	0.9911	0.8616
9. Petroleum and coal products	65.8671 ( 14.5471)	0.3217 (0.0083)	0.9944	1.0404
10. Stone, clay and glass products	-2.4079 ( 39.1378)	0.6559 (0.0285)	0.9843	0.7382
11. Iron and steal	-71.3480 (198.8539)	0.5638 (0.0298)	0.9770	0.9306
12. Fabricated metal products	-101.0541 ( 40.4851)	0.3492 (0.0218)	0.9683	0.4903
13. Machinery	-7.3577 ( 37.0946)	0.2017 (0.0086)	0.9849	0.9971
14. Electrical machinery and equipments	91.1865 ( 62.6555)	0.2724 (0.0157)	0.9729	0.8940
15. Transportation equipment	-0.0028 ( 76.9257)	0.4170 (0.0170)	0.9862	0.7610
16. Precision Instruments	5.9485 ( 4.2705)	0.2984 (0.0067)	0.9957	0.1099
17. Other manufacturing industries	-403.0072 ( 93.8729)	0.3617 (0.0162)	0.9834	0.4456
18. Transportation communication and public utilities	477.4335 (111.6259)	1.3826 (0.0202)	0.9982	1.2468
19. Construction	-559.1880 (105.0502)	0.2287 (0.0136)	0.9711	0.5880
20. Wholesale and retail trade	528.6606 (166.9978)	0.6089 (0.0236)	0.9875	0.5882
21. Financial, insurance and real estate dealing	-835.4502 ( 49.4719)	0.5481 (0.0107)	0.9967	0.6667

side of equation (6)' as an exogeneous variable, however, will make the equation non-linear and will make the least squares regression method infeasible. Therefore, the parameters obtained through the procedure as described above should be regarded only as the first approximation.

TABLE 6. ESTIMATED PARAMETERS

	$a_j$	$b_j$	$c_j$	$\alpha_j$	$\beta_j$	$\gamma_j$
5. Food	$.42089468 \times 10^{-4}$	$.19518852 \times 10$	$.10476442 \times 10$	$-.10913182 \times 10^4$	$.20675925 \times 10^3$	.41597271
6. Textile products	$.31776255 \times 10^{-9}$	$.23748045 \times 10$	$.21999573 \times 10$	$.60542000 \times 10^2$	$-.31886946 \times 10^2$	.66790879
7. Pulp, paper and products	$.27673784 \times 10^{-4}$	$.26825436 \times 10$	.61344838	$.67026310 \times 10^2$	$.52604149 \times 10^2$	.60167872
8. Chemical and related products	$.14759165 \times 10^{-12}$	$.53738992 \times 10$	$.10101395 \times 10$	$-.76691000 \times 10$	$.69675363 \times 10^2$	.70461269
9. Petroleum and coal products	$.54310395 \times 10^{-5}$	$.50860971 \times 10$	.42002812	$.65867080 \times 10^2$	$-.94217532 \times 10^0$	.32171318
10. Stone, clay and glass products	$.14400814 \times 10^{-6}$	$.32435064 \times 10$	.69140543	$-.24078500 \times 10$	$.34440143 \times 10^2$	.65585083
11. Iron and steal	$.91039780 \times 10^{-4}$	$.26556160 \times 10$	.20541056	$-.71348000 \times 10^2$	$.30831987 \times 10^4$	.56382026
12. Fabricated metal products	$.18513134 \times 10^{-5}$	$.21010768 \times 10$	.37755350	$-.10105407 \times 10^3$	$.57758018 \times 10^2$	.34916957
13. Machinery	$.70370311 \times 10^{-3}$	$.21152539 \times 10$	.2598958	$-.73577400 \times 10$	$.17626313 \times 10^3$	.20165162
14. Electrical machinery and equipments	$.28729411 \times 10^{-2}$	$.15264332 \times 10$	.68544101	$.9118654 \times 10^2$	$.14647008 \times 10^3$	.27238897
15. Transportation equipment	$.24817663 \times 10^{-5}$	$.30795352 \times 10$	.24592186	$-.27867700 \times 10^2$	$.14243469 \times 10^3$	.41697827
16. Precision instruments	$.18959696 \times 10^{-3}$	$.21150425 \times 10$	.95127154	$.59485400 \times 10$	$.31663056 \times 10^2$	.29844708
17. Other manufacturing industries	$.69834960 \times 10^{-6}$	$.22449181 \times 10$	.84131178	$-.40300720 \times 10^3$	$.17798918 \times 10^3$	.36174211
18. Transportation, communication and public utilities	$.40978344 \times 10^{-6}$	$.27310479 \times 10$	.29180220	$.47743350 \times 10^3$	$.14978778 \times 10^3$	$.13826070 \times 10$
19. Construction	$.66455301 \times 10^{-4}$	$.21388225 \times 10$	.24412724	$-.55918800 \times 10^3$	$.54486346 \times 10^3$	.22869668
20. Wholesale and retail trade	$.34668786 \times 10^{-6}$	$.19938545 \times 10$	.81315101	$.52866060 \times 10^3$	$.75661169 \times 10^3$	.60887421
21. Financial, insurance and real estate dealing	$.42279370 \times 10^{-1}$	$.10843859 \times 10$	.73857834	$-.83545020 \times 10^3$	$.19095072 \times 10^3$	.54810072

We will therefore try to estimate the parameters which will minimize the objective

$$OB = (L_m - \hat{L}_m)^2 + (L_f - \hat{L}_f)^2 + (K - \hat{K})^2$$

by using the values of  $L_m$ ,  $L_f$ , and  $K$  which are computed from the parameters obtained above as the initial values.

As a first step, we can obtain the following equation:

$$\left(\frac{Q}{aL_m^b}\right)^{1/c} = \frac{W_m}{W_f} \left[ L_m / \left\{ \left(\frac{b}{c}\right) + \left(\frac{b}{c} + 1\right) \beta \frac{P_k(i+de)}{W_f L_m} \right\} \right]$$

by solving equations (6)' and (1)' with respect to  $L_f$ . Since this equation is non-linear, we went through the following procedure: denoting the right hand side as  $XX$  and the left hand side as  $YY$ , we computed the value of  $L_m$  which minimizes the value  $ZZ = (XX - YY)^2$ , and solved for  $L_f$  using equation (1)' and then obtain  $K$  by substitute into equation (2)' to obtain  $K$ .

In the second step, we tried to obtain more precise parameters using the above mentioned method of minimizing the value of  $OB$  by means of changing the values of parameters  $a$ ,  $b$ ,  $c$ ,  $\alpha$ ,  $\beta$ , and  $\gamma$  by the infinitesimal amount  $\Delta\epsilon$  about the theoretically predicted values of  $L_m$ ,  $L_f$  and  $K$ . Since we have found through this method that the values of these parameters did not change significantly from their initial values, we decided to regard the obtained values for the parameters presented in Table 6 as the final reliable results.


### SECTION 3. MALE-FEMALE LABOR DEMAND IN METAL PRODUCTS INDUSTRY

On the basis of the parameters estimated thus far, we will try to simulate in this section the following four kinds of effects by altering such variables as output  $X$ , male wages  $W_m$ , female wages  $W_f$  and unit capital cost  $r$ .

- Case 1: The effect of an increase in output on labor demand. This effect may be examined by fixing  $r$ ,  $W_m$  and  $W_f$  at the levels of this year while changing to  $X$  the level of next year.
- Case 2: The effect of change in unit capital cost on labor demand. This effect may be measured by changing  $r$  at the level of next year while fixing  $X$ ,  $W_m$  and  $W_f$  at the levels of this year.
- Case 3: The effect of an increase in male wage rate on substitution of female for male workers. This effect may be measured by changing  $W_m$  to the level of next year while fixing  $X$ ,  $r$  and  $W_f$  at the levels of this year.
- Case 4: The effect of an increase in female wage rate on substitution of male female workers. This effect may be measured by changing  $W_f$  to the level of next year while fixing  $X$ ,  $r$  and  $W_m$  at the levels of this year.

These four types of effects correspond to the components of the following equation:

$$\begin{aligned}
dL &= dL_m + dL_f \\
&= \left( \frac{\partial \varphi}{\partial Q} + \frac{\partial \psi}{\partial Q} \right) dQ && \text{Case 1} \\
&\quad + \left( \frac{\partial \varphi}{\partial r} + \frac{\partial \psi}{\partial r} \right) dr && \text{Case 2} \\
&\quad + \left( \frac{\partial \varphi}{\partial W_m} + \frac{\partial \psi}{\partial W_m} \right) dW_m && \text{Case 3} \\
&\quad + \left( \frac{\partial \varphi}{\partial W_f} + \frac{\partial \psi}{\partial W_m} \right) dW_m && \text{Case 4}
\end{aligned}$$



$\vec{MA}$  Case 1

$\vec{MB}$  Case 2

$\vec{MC}$  Case 3

$\vec{MD}$  Case 4

Fig. 1.

Figure 1 shows the effects on labor demand of an increase in male wage, female wage or unit capital cost in the form of a vector, on the basis of sign conditions  $a > 0$ ,  $b > 0$ ,  $c > 0$ ,  $\beta > 0$  and  $\gamma > 0$ . The cases C, B and D are the cases in which the level of output is held unchanged. The changes in the aggregate amount of labor demand can be represented by male-female labor demand which depend on the size of vectors  $\vec{MA}$ ,  $\vec{MB}$ ,  $\vec{MC}$  and  $\vec{MD}$ .

Table 7 presents the computed magnitudes of the vectors for 1960 and 1961 when the output increased rapidly for the metal product industry. Figure 2 shows the locations of A, B, C and D on isoquants. We can see from Figure 2 that the magnitude of  $\vec{MA}$  was greater than the magnitude of  $\vec{MB} + \vec{MC} + \vec{MD}$  when the

TABLE 7. FABRICATED METAL PRODUCTS 1960, 1961  
1960

	OB.	ES.	Case 1 $X : 1961$	2 $r : 1961$	3 $W_m : 1961$	4 $W_f : 1961$
$LT$	672.0	657.2	740.8	657.3	671.9	649.6
$\Delta LT$			83.5825	0.0739	14.6281	-7.6353
$L_m$	523.8	509.9	571.3	509.8	491.9	527.1
$\Delta L_m$			61.4065	-0.1209	-18.0056	17.1872
$L_f$	148.2	147.3	169.5	147.5	180.0	122.5
$\Delta L_f$			22.1761	0.1949	32.6338	-24.8225
$K$	391.9	123.5	194.4	123.5	127.9	120.2
$\Delta K$			70.8960	0.0260	4.4429	-3.2643

1961

	OB.	ES.	Case 1 $X : 1962$	2 $r : 1962$	3 $W_m : 1962$	4 $W_f : 1962$
$LT$	742.4	740.8	802.3	740.9	749.6	733.8
$\Delta LT$			61.4491	0.0583	8.7461	-7.0292
$L_m$	562.5	571.3	671.3	571.2	559.9	584.5
$\Delta L_m$			45.9909	-0.0891	-11.4258	13.1837
$L_f$	179.9	169.5	185.0	169.7	189.7	149.3
$\Delta L_f$			15.4582	0.1474	20.1719	-20.2130
$K$	439.7	194.4	254.7	194.4	196.8	192.0
$\Delta K$			60.3061	0.0176	2.4308	-2.3841

output increased rapidly. Similarly, Table 8 presents the computed values for the vectors for years 1969, 1970 and 1971, and the corresponding locations of the vectors are shown in Figure 3.

In the case of the metal product industry, the rate of increase in output has declined from 13.5 percent for 1969 to 1970 down to 2.27 percent 2.3 percent for 1970 to 1971, and in contrast, the rate of increase in female wages has increased from 17.1 percent for 1969 to 1970 up to 19.8 percent for 1970 to 1971. It is for these reasons that the demand for female labor force has declined since the effect of  $\overrightarrow{MD}$  was greater than the effect of  $\overrightarrow{MA}$ .



TABLE 8. FABRICATED METAL PRODUCTS 1969, 1970, 1971  
1969

	OB.	ES.	Case 1 $X : 1970$	2 $r : 1970$	3 $W_m : 1970$	4 $W_f : 1970$
$LT$	1,239.8	1,250.9	1,317.0	1,250.6	1,271.7	1,237.4
$\Delta LT$			66.1272	-0.2618	20.8583	-13.4506
$L_m$	946.7	954.1	1,003.5	954.5	930.4	976.3
$\Delta L_m$			49.3845	0.35939	-23.6675	22.18411
$L_f$	293.1	296.8	313.5	296.2	341.3	261.1
$\Delta L_f$			16.74276	-0.62114	44.52585	-35.63469
$K$	781.3	927.0	1,063.5	926.9	930.2	924.5
$\Delta K$			136.5742	-0.0444	3.221	-2.5165

1970

	OB.	ES.	Case 1 $X : 1971$	2 $r : 1971$	3 $W_m : 1971$	4 $W_f : 1971$
$LT$	1,300.0	1,319.3	1,331.5	1,317.3	1,338.8	1,302.9
$\Delta LT$			12.1419	-2.0157	19.4289	-16.4099
$L_m$	980.5	1,000.4	1,009.3	1,003.1	979.0	1,026.4
$\Delta L_m$			8.9011	2.6563	-21.4485	25.9542
$L_f$	319.5	318.9	322.1	314.2	359.8	276.5
$\Delta L_f$			3.2408	-4.67193	40.87741	-42.36407
$K$	975.2	1,063.9	1,089.9	1,063.6	1,066.7	1,061.1
$\Delta K$			26.0301	-0.3177	2.8152	-2.8495

1971

	OB.	ES.	Case 1 $X : 1972$	2 $r : 1972$	3 $W_m : 1972$	4 $W_f : 1972$
$LT$	1,303.8	1,327.0	1,347.6	1,328.7	1,349.4	1,314.9
$\Delta LT$			20.672	1.7685	22.4515	-12.0542
$L_m$	984.7	1,015.4	1,026.8	1,012.9	989.3	1,035.4
$\Delta L_m$			11.4449	-2.4515	-26.0615	20.006
$L_f$	319.1	311.6	320.8	315.8	360.1	279.5
$\Delta L_f$			9.22709	4.22	48.51285	-32.06017
$K$	119.8	1,089.2	1,130.8	1,089.5	1,092.5	1,087.1
$\Delta K$			41.5621	0.2836	3.2992	-2.1309




Fig. 2. Fabricated metal products.

Fig. 3. Fabricated metal products.




Fig. 4. Fabricated metal products.

## CONCLUSION

Our analysis has yielded the following findings:

(1) With given levels of male wages, female wages and unit capital cost, the demand for male and female labor and capital stock increase with an increase in output,

(2) The marginal rate of substitution of female labor for male labor is greater than unity for a given level of output. In other words, an increase in the female-male ratio tends to increase the total demand for labor and vice versa,

(3) An increase in the female-male ratio for a given level of output will require an increased quantity of capital equipment,

(4) An increase in male wage rate, other things being equal, will induce a substitution of female labor for male labor, and the number of increased female workers will be greater than the number of male workers replaced by the female workers,

(5) An increase in female wage rate, other things being equal, will induce a substitution of male labor for female labor, and the number of increased male workers will be fewer than the number of female workers replaced by the male workers,

(6) An increase in the unit capital cost, other things being equal, will induce a substitution of male labor for female labor and reduce capital equipment.

The findings (1) to (6) suggest that the demand for male and female labor mix depends not only on the level of output but also on male and female wages and unit capital cost. The fact that the marginal rate of substitution of female for male labor is greater than unity plays an important role in determining the level of labor demand which changes in response to changes in relative wage rates for male and female labor.

*Keio University*

## REFERENCES

- [1] Douglas, Paul H. (1934), *Theory of Wages*, Macmillan Co., N.Y.
- [2] Tsujimura, Kotaro, Kuroda, Masahiro, and Shimada, Haruo, *Economic Policy and General Inter-Dependence: A Quantitative Theory of Price and Economic Model Building*, McGraw-Hill, Düsseldorf forthcoming.
- [3] Obi, Kei-ichiro (1978), "Seibetsu Rōdō Juyō no Riron Moderu (A Theoretical Model of Male-Female Labor Demand)," *Keio Economic Observatory Review*, Keio University, Tokyo, No. 2, July.
- [4] Goldfeld, S. M. Quandt, R. E. and Trotter, H. F. 1966), "Maximization by Quadratic Hill Climbing," *Econometrica*. Vol. 34, July.