

Title	Fabric reinforced polyacrylamide gels for electroblotting
Sub Title	
Author	西沢, 秀幸(Nishizawa, Hideyuki) 村上, 文子( Murakami, Ayako) 林, 直子( Hayashi, Naoko) 飯田, 真美( Iida, Mami) 阿部, 芳廣( Abe, Yoshihiro)
Publisher	共立薬科大学
Publication year	1985
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.30 (1985. ) ,p.92- 92
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	<a href="https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000030-0092">https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000030-0092</a>

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

## **Fabric Reinforced Polyacrylamide Gels for Electroblotting\***

Hideyuki NISHIZAWA, Ayako MURAKAMI, Naoko HAYASHI, Mami IIDA and Yoshihiro ABE

西沢秀幸, 村上文子, 林 直子, 飯田真美, 阿部芳廣

The preparation of 0.5 mm fabric reinforced polyacrylamide (FRP) gels is described. After isoelectric focusing, egg white and isoelectric point marker proteins were quantitatively transferred in only 20 min from the FRP gels to nitrocellulose membranes by electroblotting. FRP gels combine the advantages of previously described supports for polyacrylamide gels with penetrability for electric current during blotting. The gels may be conveniently stored and afford operational versatility.

---

\* 本報告は *Electrophoresis* (Weinheim, FRG), 6, 349—350 (1985) に発表