Title	Stereospecificity of the hydride transfer reaction catalyzed by isopropylmalate dehydrogenase of thermophilic bacteria thermus thermophilus
Sub Title	
Author	山田, 徹(Yamada, Toru) 柿沼, 勝己(Kakinuma, Katsumi) 遠藤, 豊成(Endo, Toyoshige) 大島, 泰郎(Oshima, Tairo)
Publisher	共立薬科大学
Publication year	1987
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.32 (1987.),p.100- 100
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000032-0100

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Stereospecificity of the Hydride Transfer Reaction Catalyzed by Isopropylmalate Dehydrogenase of Thermophilic Bacteria *Thermus thermophilus*

Tohru YAMADA*, Katsumi KAKINUMA*, Toyoshige ENDŌ and Tairo OSHIMA*

山田 徹*, 柿沼勝巳*, 遠藤豊成, 大島泰郎*

In the leucine biosynthesis, *threo*-D₅-3-isopropylmalate dehydrogenase (IPMDH) is responsible for the conversion of isopropylmalate (IPM) to 2-oxoisocaproic acid. NMR studies on the NAD-dependent reaction catalyzed by IPMDH from *T. thermophilus* HB 8 revealed that *pro R* specific (A specific) hydride transfer from the substrate to the nicotinamide ring is involved during the said oxido-reduction.

本報は Chemistry Letters, 1749—1752 (1987) に発表.

* Department of Life Science, Tokyo Institute of Technology.