

Title	Axial ligation of oxygen donors to tetraphenylporphyrinatocadmium (II)
Sub Title	
Author	小沢, 俊彦(Ozawa, Toshihiko) 花木, 昭(Hanaki, Akira) 佐野, 真由美(Sano, Mayumi)
Publisher	共立薬科大学
Publication year	1990
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.35 (1990.) ,p.70- 70
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000035-0070

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Axial Ligation of Oxygen Donors to Tetraphenylporphyrinatocadmium (II) *

Toshihiko OZAWA**, Akira HANAKI** and Mayumi SANO

小沢俊彦**, 花木 昭**, 佐野真由実

Both important classes of natural metalloporphyrins, the iron porphyrins and magnesium chlorins, have their function associated with axial ligation phenomena. Therefore, a detailed study of axial coordination in metalloporphyrin seems necessary.

Axial ligation of a variety of oxygen donors to meso-tetraphenylporphyrinatocadmium(II) [Cd(TPP)] was studied in dichloromethane by the spectroscopic method. Addition of oxygen donors to Cd(TPP) caused red shifts in the absorption spectrum. The magnitude of the red shift was dependent on the charge of the axial ligands. A weak relationship between the ratio of molar extinction coefficients of alpha bands to that of beta bands and the wavenumber of the Soret band was observed.

Dissociation constants were determined for Cd(TPP)-ligand complexes. A 1:1 binding stoichiometry is found in all cases. Increasing affinity for complex formation as a function of increasing basicity is observed among a limited set of structurally similar ligands. Steric constraints also strongly influence ligand binding affinity.

* 本報告は *Inorganica Chimica Acta*, **163**, 231—236 (1989) に発表.

** 放射線医学総合研究所