

|                  |                                                                                                                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Title            | Constituents of the seed of malva verticillata. VII. structural features and reticuloendothelial system-potentiating activity of MVS-I, the major neutral polysaccharide                                          |
| Sub Title        |                                                                                                                                                                                                                   |
| Author           | 清水, 訓子(Shimizu, Noriko)<br>浅原, 初木(Asahara, Hatsuki)<br>友田, 正司(Tomoda, Masashi)<br>権田, 良子(Gonda, Ryoko)<br>大原, 直子(Ohara, Naoko)                                                                                    |
| Publisher        | 共立薬科大学                                                                                                                                                                                                            |
| Publication year | 1991                                                                                                                                                                                                              |
| Jtitle           | 共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.36 (1991. ) ,p.42- 42                                                                                                                      |
| JaLC DOI         |                                                                                                                                                                                                                   |
| Abstract         |                                                                                                                                                                                                                   |
| Notes            | 抄録                                                                                                                                                                                                                |
| Genre            | Technical Report                                                                                                                                                                                                  |
| URL              | <a href="https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000036-0042">https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000036-0042</a> |

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

**Constituents of the Seed of *Malva verticillata*. VII. Structural Features and Reticuloendothelial System-Potentiating Activity of MVS-I, the Major Neutral Polysaccharide\***

Noriko SHIMIZU, Hatsuki ASAHARA, Masashi TOMODA,  
Ryōko GONDA and Naoko ŌHARA

清水訓子, 浅原初木, 友田正司, 権田良子, 大原直子

The structural features of MVS-I, the major neutral polysaccharide isolated from the seeds of *Malva verticillata* L., were elucidated by controlled Smith degradation, methylation analysis, partial acid hydrolysis and enzymic degradation studies. It has a backbone chain composed of both  $\beta$ -1,3-linked D-glucopyranose and  $\beta$ -1,3-linked D-galactopyranose residues having branches composed of  $\alpha$ -1,5-linked L-arabinofuranosyl  $\beta$ -1,4-linked D-galactopyranose and of  $\beta$ -1,4-linked D-galactopyranosyl  $\beta$ -1,3-linked D-glucopyranose residues at position 6 of a part of D-galactose units as side chains. MVS-I showed remarkable reticuloendothelial system-potentiating activity in a carbon clearance test.

---

\* 本報告は *Chem. Pharm. Bull.*, **39**, 2630—2632 (1991) に発表.