Keio Associated Repository of Academic resouces

Title	Reaction of 19-hydroxysteroids with diethylaminosulfur trifluoride
Sub Title	
Author	猪野, 宜人(Ino, Sento) 老沼, 寿子(Oinuma, Hisako) 山門, 理恵子(Yamakado, Rieko) 森崎, 益雄(Morisaki, Masuo) 古川, 洋司(Furukawa, Yoji) 畠, 忠(Hata, Tadashi)
Publisher	共立薬科大学
Publication year	1991
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.36 (1991.) ,p.62- 62
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000036-0062

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって 保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Reaction of 19-Hydroxysteroids with Diethylaminosulfur Trifluoride*

Sento Ino, Hisako Oinuma, Rieko Yamakado, Masuo Morisaki, Yōji Furukawa** and Tadashi Hata**

猪野宜人,老沼寿子,山門理恵子,森崎益雄,古川洋司**, 畠 忠**

In an attempt to prepare 19-fluorocholesterol derivative, 19-hydroxycholest-4-en-3-one was treated with excess diethylaminosulfur trifluoride in acetonitrile at reflux, and the structure of a major product (60% yield) was determined by spectroscopy and X-ray crystalography to reveal 10β -fluoro-5, 10-seco-5, 19-cyclo-cholest-4-en-3-one. Analogous reactions of androstane derivative afforded the corresponding bicyclo [4. 4. 1] compound. Under milder reaction condtions, 19-hydroxycholest-4-en-3-one diethylaminosulfinate was secured in 20% yield.

^{*} 本報告は Cnem. Pharm. Bull., 39, 3335-3337 (1991) に発表.

^{**} 三共分析・代謝研