

Title	原著論文
Sub Title	
Author	
Publisher	共立薬科大学
Publication year	1996
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.41 (1996.) ,p.31- 37
JaLC DOI	
Abstract	
Notes	
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000041-0031

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

原 著 論 文

Okochi E, Mochizuki M. Dealkylation of *N*-nitrosodibenzylamine by metalloporphyrin/oxidant model systems for cytochrome P450. *Chem Pharm Bull* 43, 2173-2176, 1995

堤のぞみ, 増水章季, 河野雅弘, 望月正隆. *N*-ニトロソジアルキルアミンの活性酸素による分解と一酸化窒素の生成. *磁気共鳴と医学* 7, 215-220, 1996

Tsutsumi N, Mochizuki M. Decomposition of *N*-nitrosodialkylamines and formation of mutagen by active oxygen generating system. *Researches Related to the UNESCO's Man and the Biosphere Programme in Japan 1995-1996*, 71-74, 1996

Ishikawa S, Oda T, Sato Y, Mochizuki M. Lack of mutagenicity of diethylstilbestrol metabolite and analog, (\pm)-indenestrols A and B, in bacterial assay. *Mutation Res* 368, 261-265, 1996

Mashige F, **Matsushima Y, Miyata C, Yamada R, Kanazawa H**, Sakuma I, Takai N, Shinozuka N, Ohkubo A, Nakahara K. Simultaneous determination of catecholamines, their basic metabolites and serotonin in urine by high performance liquid chromatography using a mixed-mode column and an eight-channel electrochemical detector. *Biomedical Chromatography* 9, 221-225, 1995

Takata J, Karube Y, Hanada M, Matsunaga K, **Matsushima Y**, Sendo T, Oishi R. Vitamin K prodrugs 2. Water-soluble prodrugs of menahydroquinone-4 for systemic site-specific delivery. *Pharmaceutical Research* 12 (12), 1973-1979, 1995

Kanazawa H, Yamamoto K, Matsushima Y, Takai N, Kikuchi A, Sakurai Y, Okano T. Temperature-responsive chromatography using poly(*N*-isopropylacrylamide)-modified silica. *Anal Chem* 68 (1), 100-105, 1996

宮本知枝, 永田佳子, 松島美一, 松本茂信. 水溶液中での α -トコフェロール酸素酸化生成物のHPLC分析. *ビタミンE研究の進歩* VI, 23-28, 1996

Mashige F, **Matsushima Y**, **Kanazawa H**, Sakuma I, Takai N, Bessho F, Ohkubo A. Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet. *Ann Clin Biochem* 33, 43-49, 1996

上田順市, 小沢俊彦, **松島美一**. ESR-スピントラッピング法による種々の銅(II)錯体と有機過酸化化物との反応解析. *磁気共鳴と医学* 7, 78-81, 1996

Ueda J, **Miyazaki M**, **Matsushima Y**, Hanaki A. Glycylsarcosyl-L-histidylglycine, a peptide with a 'break point' in complex formation: hydrolysis of the complex [CuH₋₁L]. *J Inorg Biochem* 63, 29-39, 1996

Kanie O, **Takeda T**, Hatano K. Molecular and crystal structure of methyl 2,3,4-tri-O-acetyl- β -D-xylopyranosyl-(1-2)-3-O-benzyl-4,6-O-benzylidene- α -D-mannopyranoside. *Carbohydr Res* 276, 409-416, 1995

Inoue M, Suzuki R, Sakaguchi N, Li Z, **Takeda T**, Ogihara Y, Jiang B Y, Chen Y. Selective induction of cell death in cancer cells by gallic acid. *Biol Pharm Bull* 18, 1526-1530, 1995

Sun P, Ye W, Zheng G, Wang Z, Chen Y, Ogihara Y, **Takeda T**. A new flavonol glycoside, Epimedin K, from *Epimedium koreanum*. *Chem Pharm Bull* 44, 446-447, 1996

Takeda T, Kanemitsu T, **Shimizu N**, Ogihara Y, Matsubara M. Synthesis of glycopeptides with phytoalexin elicitor activity II. Syntheses of triglycosyl tetrapeptides and a hexaglycosyl tetrapeptide. *Carbohydr Res* 283, 81-93, 1996

Tani C, Ogihara Y, Mutuga M, Nakamura T, **Takeda T**. Studies on the constituents of *Calliandra anomala* (Kunth) Macbr. III. Structure elucidation of six acetylated triterpenoidal saponins. *Chem Pharm Bull* 44, 816-822, 1996

二木芳人, 入江伸, 天本敏昭, 垣木由子, 片山博和, **菅家甫子**. ロキシシロマイシンとテルフェナジンの相互作用—ボランティア試験におけるテルフェナジン血中濃度および心電図変化の検討—. *Progress in Medicine* 15, 2372-2377, 1996

Ohdo S, Watanabe H, Ogawa N, **Yoshiyama Y**, Sugiyama T. Circadian rhythm of embryotoxicity induced by sodium valproate in mice. *Eur J Pharmacol Environ Toxicol Pharmacol Section* 293, 281-285, 1995

Yoshiyama Y, Grenier L, Gourde P, Simard M, Lin L, Morin N J, Bergeron M G, Labrecque G, Beauchamp D. Temporal variation in the nephrotoxicity of low doses of isepamicin in rats. *Antimicrob Agents Chemother* 40, 802-806, 1996

Ohdo S, Watanabe H, Ogawa N, **Yoshiyama Y**, Sugiyama T. Chronotoxicity of sodium valproate in pregnant mouse and embryo. *Jpn J Pharmacol* 70, 253-258, 1996

Yoshiyama Y, Kobayashi T, Ohdo S, Ogawa N, Bergeron M G, Labrecque G, Beauchamp D, Nakano S. Influence of a circadian-stage-dependent dosing schedule on the pharmacokinetics of isepamicin in humans. *J Infect Chemother* 2, 106-109, 1996

Suzuki T, Ikeda C, Fujii T, Fujimoto K, Morita I, Murota S, **Kawashima K**. Phorbol ester enhance choline uptake in cultured porcine brain endothelial cell isolated from cerebral microvessels. *Biog Amine* 12, 49-54, 1996

Fujii T, Tsuchiya T, Yamada S, Fujimoto K, Suzuki T, Kasahara T, **Kawashima K**. Localization and synthesis of acetylcholine in human leukemic T-cell lines. *J Neurosci Res* 44, 66-72, 1996

Kawashima K, Amado H, Fujimoto K, Suzuki T, Mochizuki S, Tomiyama A. Effect of repeated administration of KT3-671, a nonpeptide AT1 receptor antagonist, on diurnal variation in blood pressure heart rate locomotor activity in stroke-prone spontaneously hypertensive rate as determined by radio-telemetry. *J Cardiovasc Pharmacol* 27 (3), 411-416, 1996

Yagi T, **Morisaki M**, Kushiro T, Yoshida H, Fujimoto Y. Biosynthesis of 24β -alkyl- Δ^{25} -sterols in hairy roots of *Ajuga reptans* var. *atropurpurea*. *Phytochemistry* 41, 1057-1064, 1996

Morisaki N, Inoue K, Kobayashi H, Shirai R, **Morisaki M**, Iwasaki S. Coordination of alkyl metal cation to oxygen function to form adduct ion in fast atom bombardment mass spectrometry. *Tetrahedron* 52, 9017-9024, 1996

Fujimoto Y, Nakagawa T, **Yamada J**, **Morisaki M**. Biosynthetic origin of C-26 and C-27 of the phytoecdysteroids cyasterone and 29-norcyasterone, in *Ajuga* hairy roots. *Chem Commun* 2063-2064, 1996

Homma Y, Murase Y, Handa K, Koyama S, Suzuki N, Horiuchi K. Rapid calibration of detectors for determining ^{222}Rn using air luminescence counting. *Liquid Scintillation Spectrometry* 1994, 115-120, 1996

Ishiwata K, **Saito N**, Yanagawa K, Furuta R, Ishii S, Kiyosawa M, **Homma Y**, Ishii K, Suzuki F, Senda M. Synthesis and evaluation of 5-HT₃ reseptor antagonist [^{14}C] KF 17643. *Nuclear Medicine and Biology* 23, 285-290, 1996

Fujioka N, Mukaida N, Harada A, Akiyama M, **Kasahara T**, Mai M, Matshushima K. Preparation of monoclonal antibodies against murine IL 1 receptor antagonist (IL-1ra) and the establishment of IL-1ra as an endogenous regulator of bacteria-induced fulminant hepatitis in mice. *J Leuk Biol* 58, 90-98, 1995

Hoshino Y, Hatake K, **Kasahara T**, Takahashi Y, Ikeda M, Tomizuka H, Ohtsuki T, Mukaida N, Matsushima K, Miura Y. Monocyte chemoattractant protein-1 stimulates tumor necrosis and recruitment of macrophages into tumor in tumor-bearing nude mice: Increased granulocyte/macrophage progenitors in the murine bone marrow. *Exptl Hematol* 23, 1035-1039, 1995

Koyanagi H, Wakasugi N, Yoshimatsu K, Takashima Y, Yodoi J, Suda T, **Kasahara T**, Yamaguchi Y. Role of ADF/TRX and its inhibitor on the release of major basic protein from human eosinophils. *Biochem Biophys Res Comm* 213, 1140-1147, 1995

Kusama Y, Takamoto M, **Kasahara T**, Takatsu K, Nariuch H, Sugane K. Mechanism of eosinophilia in BALB/c-nu/+ and congenitally athymic BALB/c-nu/nucle mice infected with *Toxocara canis*. *Immunology* 84, 462-468, 1995

Miyamasu M, Hirai K, Takahashi Y, Iida M, Ohtoshi T, Takaishi T, Morita Y, Ohta K, Itoh K, **Kasahara T**. Induction of eosinophil cytokine generation by chemoattractants. *Int Archs Allergy Immunol* 108, 12-15, 1995

Seino Y, Ikeda U, Sekiguchi H, Morita M, Konishi K, **Kasahara T**, Shimada K. Expression of leukocyte chemotactic cytokines in myocardial tissue. *Cytokine* 7, 301-304, 1995

Seino Y, Ikeda U, Takahashi M, Hojo Y, Irokawa M, Konishi K, **Kasahara T**, Shimada K. Expression of monocyte chemoattractant protein-1 in vascular tissue. *Cytokine* 7, 575-579, 1995

Seino Y, Ikeda U, Minezaki K, Funayama H, **Kasahara T**, Konishi K, Shimada K. Expression of cytokine-induced neutrophil chemoattractant in rat cardiac myocytes. *J Mol Cell Cardiol* 27, 2043-2051, 1995

Sugiyama Y, **Kasahara T**, Mukaida N, Kitamura S. Chemokine in bronchoalveolar lavage fluid from the patients with summer-type hypersensitivity pneumonitis. *Eur Respir J* 8, 1084-1090, 1995

Takahashi M, Masuyama J-I, Ikeda U, Kitagawa S, **Kasahara T**, Saito M, Kano S, Shimada K. Effects of endogenous endothelial IL-8 on neutrophil migration across an endothelial monolayer. *Cardiovas Res* 29, 670-675, 1995

Takahashi M, Masuyama J-I, Ikeda U, **Kasahara T**, Kitagawa S, Takahashi Y, Saito M, Shimada K, Kano S. Induction of monocyte chemoattractant protein-1 synthesis in human monocytes during transendothelial migration in vitro. *Circulation Res* 76, 750-757, 1995

Sekigawa Y, Fukuhara M, **Sonoda Y**, **Sato Y**. Purification and characterization of a cytochrome P450 isozyme catalyzing lanosterol 14 α -demethylation (P450_{14DM}) in hamster liver. *Lipid* 30, 1067-1073, 1995

Oda T, **Watanuki M**, **Sakakibara Y**, **Sato Y**. Effects of some diethylstilbestrol metabolites and analogs on cytotoxicity and aneuploidy induction in Chinese hamster V79 cells. *Biol Pharm Bull* 18, 1435-1438, 1995

Azuma E, Yuo A, Matsushima K, **Kasahara T**, Mizoguchi H, Saito M, Takaku F, Kitagawa S. Activation and priming of human monocytes by monocyte chemotactic and activating factor: Cooperation with other inflammatory cytokines and close association between an increase in cytoplasmic free Ca²⁺ and intracellular acidification. *Expt Hematol* 24, 169-175, 1996

Sonoda Y, **Suzuki S**, **Udagawa K**, **Ota K**, **Tasaka R**, **Fukamachi Y**, **Sato Y**. Effects of 19-oxygenated lanosterol derivatives on 3-hydroxy-3-methylglutaryl coenzyme A reductase activity and lanosterol demethylase activity. *Biol Pharm Bull* 19, 57-61, 1996

Oda T, Tsuchiya T, **Sato Y**, Yasukochi Y. Estrogen receptor-mediated transcriptional activation by 17 β -estradiol and its analogs. *Biol Pharm Bull* 19, 1018-1022, 1996

Ikezawa H, Tameishi K, Yamada A, **Tamura H**, Tsukamoto K, Matsuo Y, Nishikawa K. Studies on the active sites of *Bacillus cereus* sphingomyelinase substitution of some amino acids by site-directed mutagenesis. *Amino Acids* 9, 293-298, 1995

Miyawaki A, **Homma H**, **Tamura H**, **Matsui M**, Mikoshiba K. Zonal distribution of sulfotransferase for phenol in olfactory sustentacular cells. *EMBO J* 15, 2050-2055, 1996

Homma H, **Ogawa K**, **Hirono K**, **Morioka Y**, **Hirota M**, **Takahashi I**, **Matsui M**. Site directed mutagenesis of rat hepatic hydroxysteroid sulfotransferases. *Biochim Biophys Acta* 1296, 159-166, 1996

Nagai F, Satoh H, **Ogawa K**, **Homma H**, **Matsui M**. Assignment of two hydroxysteroid sulfotransferase genes (*St1* and *St2*) to rat chromosome bands 1q21.3→q22.1 by in situ hybridization. *Cytogenet Cell Genet* 74, 111-112, 1996

Kobayashi T, **Tamura H**, Taguchi R, Udaka S, Ikezawa H. High-level expression of *Bacillus thuringiensis* phosphatidylinositol-specific phospholipase C by the *Bacillus brevis* host vector system. *Jpn J Med Sci Biol* 49, 103-112, 1996

Matsuo Y, Yamada A, Tsukamoto K, **Tamura H**, Ikezawa H, Nakamura H, Nishikawa K. A distant evolutionary relationship between bacterial sphingomyelinase and mammalian DNase I. *Protein Sci* 5, 2459-2467, 1996

Nicolaou K C, Hwang C-K, Duggan M E, Nugiel D A, **Abe Y**, Bal Reddy K, DeFrees S A, Reddy D R, Awartani R A, Conley S R, Rutjes F P J T, Theodorakis E A. Total synthesis of Brevetoxin B. 1. First generation strategies and new approaches to oxepane systems. *J Am Chem Soc* 117, 10227-10238, 1995

Abe Y, **Wang Q**, **Shoji T**, **Fukui S**, **Suzuki M**, **Kamiyama T**, **Kobayashi M**, **Nishizawa H**. Enantioselective distribution of (±)-pindolol in a liquid-liquid two-phase system containing optically active diol and boric acid. *Chem Pharm Bull* 44, 1250-1251, 1996

Abe Y, **Shoji T**, **Fukui S**, **Sasamoto M**, **Nishizawa H**. Enantioseparation by dual-flow countercurrent extraction: Its application to the enantioseparation of (±)-propranolol. *Chem Pharm Bull* 44, 1521-1524, 1996

Kogure M, Mori H, Arika H, Kojima C, Yamamoto H. Determination of sucrose using sucrose phosphorylase in a flow-injection system. *Anal Chim Acta* 337, 107-111, 1997

Tanaka M, Takehana M, Kobayashi S. UVB irradiation induces apoptosis in mouse skin keratinocytes-*in vivo* and *in vitro* experiments. *Photomedicine and Photobiology* 17, 47-48, 1995

Nozaki J, Takehana M, Kobayashi S, Tohyama C. Induction of low molecular weight stress protein HSP27 in skins of hairless mice by UVB-irradiation. *Photomedicine and Photobiology* 17, 53-54, 1995

Kobayashi S, Takehana M, Tohyama C. Glutathione isopropyl ester reduces UVB-induced skin damage in hairless mice. *Photochemistry & Photobiology* 63, 106-110, 1996

Kobayashi S, Takehana M, Itoh S, Ogata E. Protective effect of magnesium-L-ascorbyl-2 phosphate against skin damage induced by UVB irradiation. *Photochemistry & Photobiology* 64, 224-228, 1996

Uga S, Obara Y, Takehana M, Nishigori H, Hikida M, Mibu H. Morphological study of age-related changes in Fischer rat lens. *Jpn J Ophthalmol* 40, 33-41, 1996

Hanioka N, Omae E, Nisimura T, Jinno H, Onodera S, Yoda R, Ando M. Interaction of 2,4,4'-trichloro-2'-hydroxydiphenyl ether with microsomal cytochrome P 450-dependent monooxygenases in rat liver. *Chemophere* 33, 265-276, 1996

福島紀子, 松本佳代子. ある地域薬局における糖尿病患者へのカウンセリングの実態と医療費についてのシミュレーション. *調剤と情報* 2, 35-42, 1996