

Title	原著論文
Sub Title	
Author	
Publisher	共立薬科大学
Publication year	1999
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.44 (1999. ) ,p.41- 49
JaLC DOI	
Abstract	
Notes	
Genre	Technical Report
URL	<a href="https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000044-0041">https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000044-0041</a>

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.



# 原 著 論 文



**Hada N, Hayashi E, Takeda T.** Synthetic studies on glycosphingolipids from the parasite *Echinococcus multilocularis*. *Carbohydr Res* 316, 58-70, 1999

**Hada N, Matsuzaki A, Sugita M, Takeda T.** Synthetic studies on glycosphingolipids from protostomia phyla: Synthesis of neogala-series glycolipid analogues containing a mannose residue from the earthworm *Pheretima hilgendorfi*. *Chem Pharm Bull* 47, 1265-1268, 1999

**Yokoyama S, Fujino Y, Takeda T, Abe M.** Effects of intramolecular double bonds on micellar surface potential and surface charge density of icosapolyenoic acids. *J Jpn Oil Chem Soc* 48, 1371-1376, 1999

**Kiba A, Takeda T, Kanemitsu T, Toyoda K, Ichinose Y, Yamada T, Shiraishi T.** Induction of defense responses by synthetic glycopeptides that have a partial structure of the elicitor in the spore germination fluid of *Mycosphaerella pinodes*. *Plant Cell Physiol* 40, 978-985, 1999

**Yokoyama S, Nakano M, Takeda T, Abe M.** Effect of lysophosphatidylcholine on acid-catalyzed dehydration of prostaglandin E<sub>1</sub>. *Material Technology* 17, 342-349, 1999

**Yokoyama S, Fujino Y, Kohno T, Abe M.** Surface potentials of mixed micelles composed of arachidonic acid and heptaethylene glycol dodecyl ether. *J Jpn Oil Chem Soc* 48, 1365-1369, 1999

**Yokoyama S, Fujino Y, Abe M.** Micellar surface potentials ( $\psi$ ) of several local anesthetics, and correlation between  $\psi$  and pharmacological potency. *Material Technology* 17, 298-303, 1999

Sakai H, Matsumura A, **Yokoyama S**, Saji T, Abe M. Photochemical switching of vesicle formation using an azobenzene-modified surfactant. *J Phys Chem B* 103, 10737-10740, 1999

Hashizaki K, Itoh C, Sakai H, **Yokoyama S**, Abe M. Freeze-fracture electron micrographs of liposomes containing poly(ethylene glycol). *J Jpn Oil Chem Soc* 48, 923-925, 1999

Fujino Y, **Yokoyama S**. Surface active properties of simple cyclic and heterocyclic amines in water. *Chem Pharm Bull* 48, 298-300, 2000

**Yokoyama S**, Suga T, Imura T, Abe M. Surface active properties of aqueous solution of diphenylpyraline hydrochloride in the presence of procaine hydrochloride. *Material Technology* 18, 62-65, 2000

Hashizaki K, Itoh C, Sakai H, **Yokoyama S**, Abe M. Freeze-fracture electron microscopic and calorimetric studies on microscopic states of surface-modified liposomes. *Colloid Surf B* 17, 275-282, 2000

Imura T, Sakai H, Yamauchi H, **Yokoyama S**, Abe M. Domain formation and phase separation in mixed phosphatidylcholine/ceramide 3 monolayers and bilayers. *J Jpn Oil Chem Soc* 49, 373-377, 2000

**Abe Y, Kotaki F, Fukui S, Kawaguchi M, Furudate F, Shoji T, Sugata S, Nishizawa H, Iwata K, Suzuki H.** Enantioselective Binding of ( $\pm$ )-2-Bromoisovalerylurea to Serum albumins. *Anal Sci* 15, 397-398 1999

**Nishizawa H, Shoji T, Tahara K, Abe Y.** Simulation Study of the Separation of Binary Mixtures by the Continuous Dual-flow Countercurrent Extraction Method. *Anal Sci* 15, 543-547 1999

**Nishizawa H, Tahara K, Motegi Y, Miyamori S, Shoji T, Abe Y.** True Moving Bed Chromatography: Solid-Liquid Multi-Stage Countercurrent Extraction. *J Chromatogr A* 849, 61-69 1999

**Abe Y, Fukui S, Koshiji Y, Kobayashi M, Shoji T, Sugata S, Nishizawa H, Suzuki H, Iwata K.** Enantioselective Binding Sites on Bovine Serum Albumin to Dansyl Amino Acids. *Biochim Biophys Acta* 1433, 188-197 1999

**Abe Y, Shoji T, Tahara K, Sugata S, Nishizawa H.** Practical Operation Procedure for a Continuous Dual-Flow Countercurrent Extraction Method. *Anal Sci* 16, 181-182 2000

**Sugata S.** Hydrodynamic model of the Michaelis-Menten mechanism. *ACH-Models Chem* 136, 349-357, 1999

**Mori H.** Determination of acetaldehyde using immobilized aldehyde dehydrogenase in a flow system and application to analysis of acetaldehyde content in liquers. *J Health Sci* 46, 146-148(2000)

**Kanke M, Yoshiyama Y, Chang C, Coleman J, Berger C, Godwin H, Kradjan W.** Clinical clerkships for Japanese graduate pharmacy students in U.S. medical centers. *Am J Health-Syst Pharm.* 57, 278-280 2000

Sugiyama T, Saito K, Shimada H, Tsuchimoto K, **Yoshiyama Y.** Effect of digoxin on chick embryos with hypothyroidism induced by thiamazole. *The Alternatives to Animal Testing and Experimentation* 6, 89-96 2000

**吉山友二.** 臨床薬学よりみたネブライザー療法. *耳鼻咽喉科展望* 42, 189-194 1999

Sakuragawa N, Mohamed E, **Fujii T, Kawashima K.** Possible dynamic neurotransmitter metabolisms surrounding the fetus. *J Child Neurol* 14, 265-266, 1999

Rinner I, Globerson A, **Kawashima K, Korsatko W, Schauenstein K:** A possible role for acetylcholine in the dialogue between thymocytes and thymic stroma. *Neuroimmunomodulation.* 6, 51-55, 1999

**Koyama T, Nakajima Y, Fujii T, Kawashima K.** Enhancement of cortical and hippocampal cholinergic neurotransmission release through 5-HT<sub>1A</sub> receptor mediated pathways by BAYx3702 in freely moving rats. *Neurosci Lett* 265, 33-36, 1999

**Sato ZK, Fujii T, Watanabe Y, Yamada S, Ando T, Fujimoto K, Kawashima K.** Diversity of mRNA expression for muscarinic acetylcholine receptor subtypes and neuronal nicotinic acetylcholine receptor subunits in human mononuclear leukocytes and leukemic cell lines. *Neurosci Lett* 266, 17-20, 1999

**Oosawa H, Fujii T, Kawashima K.** Nerve growth factor increases the synthesis and release of acetylcholine and the expression of vesicular acetylcholine transporter in primary cultured rat embryonic septal cells. *J Neurosci Res* 57, 381-387, 1999

**Fujii T, Ohba S, Nakai K, Fujimoto K, Suzuki T, Kawashima K.** Enhancement of the serotonin-mediated acetylcholine release by repeated desmethylimipramine treatment in the hippocampus of freely moving rats. *Japan J Pharmacol* 80, 303-309, 1999

**Kawamura K, Ishiwata K, Futatsubashi M, Ishi S, Ouchi Y, Homma Y, Senda M.** Efficient HPLC separation of [<sup>11</sup>C]β-CFT or [<sup>11</sup>C]β-CIT from an N-desmethyl precursor on a semipreparative reversed phase ODS column. *Appl. Radiat. Isot.*52, 225-228, 2000

**Kawamura K, Ishiwata K, Tajima H, Ishi S, Shimada Y, Matsuno K, Homma Y, Senda M.** Synthesis and In Vivo Evaluation of [<sup>11</sup>C]SA6289 as a PET Sigma Receptor Ligand. *Nucl. Med. Biol.*, 26, 915-922, 1999

**Sutou S, Wong LQ, Takada M, Mitsui Y, Mochizuki M.** Antimutagenicity testing of glucopyranosylvanillin and vanillin examined in a mouse peripheral blood micronucleus test system. *Environ Mutagen Res* 21, 243-250, 1999

**Mashino T, Okuda K, Hirota T, Hirobe M, Nagano T, Mochizuki M.** Inhibition of *E. coli* growth by fullerene derivatives and inhibition mechanism. *Bioorg Med Chem Lett* 9, 2959-2962, 1999

Ohe T, Hirobe M, **Mashino T**. Novel metabolic pathway of estrone and 17  $\beta$ -estradiol catalyzed by cytochrome P-450. Drug Metab Dispos 28, 110-112, 2000

Chone Y, Kinouchi T, Yamada T, Suzuki Y, Kitaura K, Jiao Z, Minami T, Bando Y, Uehara H, **Mochizuki M**, Ohnishi Y, Izumi K. Low susceptibility of Long-Evans Cinnamon rats to *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-induced urinary bladder carcinogenesis and inhibitory effect of urinary copper. Jpn J Cancer Res 91, 16-24, 2000

Hidaka T, **Shimotohno K. W**, Morishita T, Seto H. Studies on the Biosynthesis of Bialaphos (SF-1293). 18 2-Phosphinomethylmaleic Acid Synthase: A Descendant of (*R*)-citrate synthase?, J. Antibiotic, 52 (10), 925-931 (1999)

**Shimotohno K. W**, Iida J, **Endo T**. A New Enzyme, Edeine B1 Amidinohydrolase, from *Bacillus brevis* TT02-8., Purification and Determination of the *N*-Terminal Amino Acid Sequence., J. Antibiotic, 52 (4), 407-411 (1999)

Hidaka T, Morishita T, **Shimotohno K. W**, **Endo T**, Seto H, Noguchi T. Screening of Microbial Products Modifying the Action of Leptine (Obese Gene Product) by a Biosensor., J. Antibiotic, 52 (4) 429-432 (1999)

**松本佳代子**, **福島紀子**, **小林静子**, 津谷喜一郎. 経口避妊薬 (低用量ピル) に対する薬学生のイメージと知識. 薬剤疫学 1999; 4(1) : 47-57

坂井尚子, **福島紀子**, **松本佳代子**, 松田晋也. 在宅ケアにおけるホームヘルパーの活動実態と薬剤師との連携希望. 日本公衆衛生雑誌 2000; 47(1): 79-86

Nakagawa H, Sumiki E, Ikota N, **Matsushima Y**, Ozawa T. Endogenous and new synthetic antioxidants for peroxynitrite: selective inhibitory effect of 5-methoxytryptamine and lipoic acid on tyrosine nitration by peroxynitrite. Antiox Redox Signal 1, 239-244, 1999

**Nagata Y**, **Miyamoto C**, **Matsushima Y**, Matsumoto S. Oxidation of d- $\alpha$ -tocopherol in aqueous solution. Formation of colored products. Chem Pharm Bull 47, 923-927, 1999

**Nagata Y**, Takata J, Karube Y, **Matsushima Y**. Effect of a water soluble prodrug of vitamin E on doxorubicin-induced toxicity in mice. *Biol Pharm Bull* 22, 698-702, 1999

**Nagata Y**, **Matsushima Y**, **Fujii N**, Fukuda S, **Kanazawa H**, **Yoda R**, Matsumoto S. Species absorbing in the 500 nm region in the reactions of pyridoxamine with pyrroloquinoline quinone and phenanthrolinequinones. *Chem Pharm Bull* 47, 1774-1777, 1999

Takata J, Karube Y, Matsunaga K, Hanada M, Hidaka R, **Matsushima Y**. Prodrugs for systemic bioreductive activation-independent delivery of pyllhydroquinone, an active form of phyloquinone (vitamin K): Preparation and in vivo evaluation. *Biol Pharm Bull*, 22, 1347-1354, 1999

**Nagata Y**, **Miyamoto C**, **Matsushima Y**, Matsumoto S. Copper(II)-catalyzed oxidation of d- $\alpha$ -tocopherol in aqueous solution. *Chem Pharm Bull* 48, 71-76, 2000

Nakagawa H, Sumiki E, Takusakawa M, Ikota N, **Matsushima Y**, Ozawa T. Scavenger for peroxyxynitrite: Inhibition of tyrosine nitration and oxidation with tryptamine derivatives, a lipoic acid and synthetic compounds. *Chem Pharm Bull* 48, 261-265, 2000

**Kanazawa H**, **Atsumi R**, **Matsushima Y**, Kizu J. Determination of theophylline and its metabolites in biological samples by liquid chromatography-mass spectrometry. *J. Chromatography A* 870, 87-96, 2000

**Kanazawa H**, **Kunito Y**, **Matsushima Y**, Okubo S, Mashige F. Spectrophotometric analysis of lorazepam in plasma by chiral chromatography-circular dichroism (CD) based detector. *J. Chromatography A* 871, 181-188, 2000

Fujimoto Y, Ohyama K, Nomura K, Hyodo R, **Takahashi K**, **Yamada J**, **Morisaki M**. Biosynthesis of sterols and ecdysteroids in *Ajuga* hairy roots. *Lipids* 35, 279-288, 2000

藤瀬清隆、斎藤篤、小林正之、伊藤文之、久保政勝、**柴崎敏昭** 集団予防接種時に発生した接種事故後の対応処置 *環境感染* 14 : 111-113、1999

**井澤美苗,山崎一恵,桜井節子,辻本豪三,越田理恵,松下良,中島慎一,井澤志名野,中島恵美.** 介護者向けの薬剤情報集の作成(その1) 小児患者をもつ母親のための薬剤情報集. PharmD 1(1), 71-75, 1999

**Iijima S, Shiba K, Kurihara Y, Kamei S, Kimura S, Kimura M, Fukumura Y, Kobayashi S.** Simultaneous analysis of serum immunoglobulin in patients with M protein using cellulose acetate membrane isoelectric focusing. J Clin Lab Anal 13, 145-150, 1999

**Iijima S, Kimura M, Shiba K.** New detection method after cellulose acetate membrane isoelectric focusing: activity staining for lactate dehydrogenase, detection for sugar chains using lectin and simple western blotting. J Clin Lab Anal 13, 234-240, 1999

**Nagai F, Satoh H, Usui T, Tamura H, Matsui M.** Chromosomal assignments of rat phenol sulfotransferases ST1A1 and ST1C1 genes (Sult1a1 and Sult1c1) by fluorescence in situ hybridization. Cytogenet Cell Genet 84, 145-147 1999

Fujii S, Ogata, Inoue B, Murakami M, Iwama S, Katsumura S, Tomita M, **Tamura H**, Tsukamoto K, Ikezawa H, Ikeda K. Roles of Asp126 and Asp156 in the enzyme function of sphingomyelinase from *Bacillus cereus*. J Biochem 126, 90-97 1999

Nakayama S, **Takehana M, Kanke M, Itoh S, Ogata E, Kobayashi S.** Protective effects of sodium-L-ascorbyl-2 phosphate on the development of UVB-induced damage in cultured mouse skin, Biol Pharm Bull., 22, 1301-1305, 1999

**Nakamura K, Tomitsuka E, Takehana M, Kobayashi S.** Phosphorylation of the HSP27 confers resistance against UVB-induced damage in mouse, Photomed Photobiol, 21, 31-32, 1999

**Kobayashi S, Nakayama S, Takehana M, Matsushima Y, Takata J, Karube Y.** Protective effects of water-soluble prodrug of vitamin E against the development of UVB-induced skin damage in cultured mouse skin, Photomed Photobiol, 21, 71-72, 1999

**Miho Y, Kouroku Y, Fujita E, Mukasa T, Urase K, Kasahara T, Momoi M, Momoi T.** bFGF inhibits the activation of caspase-3 and apoptosis of P19 embryonal carcinoma cells during neuronal differentiation. Cell Death Differentiation 6, 463-470 1999



**Nagaishi K**, Adashi R, Sasaki H, Kawanishi T, Yamaguchi T, Mogami T, **Kasahara T**, Hayakawa T, Suzuki K. Participation of cofilin in opsonized zymosan-triggered activation of neutrophil-like HL-60 cells through rapid dephosphorylation and translocation to plasma membranes. *J Biochem* 125, 891-898 1999

Takahashi Y, **Kasahara T**, Sawai T, Rikimaru A, Mukaida N, Matsushima K, Sasaki T. The participation of IL-8 in the synovial lesions at an early stage of rheumatoid arthritis. *Tohoku J Exp Med* 188, 75-87 1999

Mori M, Terui Y, Ikeda M, Tomizuka H, Uwai M, **Kasahara T**, Kubota NT, Itoh T, Tanaka M, Yamada M, Shimamura S, Ishizaka Y, Ikeda K, Ozawa K, Miura Y, Hatake K.  $\beta$ 2-microglobulin identified as an apoptosis-inducing factor and its characterization. *Blood* 94, 2744-2753 1999

Terui Y, Tomizuka H, Mishima Y, Ikeda M, **Kasahara T**, Uwai M, Mori M, Itoh T, Tanaka M, Yamada M, Shimamura S, Ishizaka Y, Ozawa K, Hatake K. NH<sub>2</sub>-terminal pentapeptide of endothelial IL-8 is responsible for the induction of apoptosis and has an antitumor effect in vivo. *Cancer Res* 59, 5651-5655 1999

**Nagaishi K**, Sasaki H, Adashi R, **Matsui S**, Mogami T, Yamaguchi T, **Kasahara T**, Hayakawa T, Suzuki K. Herbimycin A inhibits both dephosphorylation and translocation of Cofilin induced by opsonized zymosan in macrophage-like U937 cells. *J Cell Physiol* 180, 345-354 1999

Miyamasu M, Nakajima T, Misaki Y, Izumi S, Tsuno N, **Kasahara T**, Morita Y, Hirai K. Dermal fibroblasts represent a potent major source of human eotaxin: In vitro production and cytokine-mediated regulation. *Cytokine* 11, 751-758 1999

Luo L, Ibaragi T, Maeda M, Nozawa M, **Kasahara T**, Sakai M, Sasaki Y, Nanebe K, Saito S. Interleukin-8 levels and granulocyte counts in cervical mucus during pregnancy. *Amer J Reprod Immunol* 43, 78-84 2000

**Oda T**, **Ebata M**, Matsumoto S, Urano S, **Sato Y**. Antioxidative activity of indenestrol A, a diethylstilbestrol metabolite. *Biol Pharm Bull* 22, 586-589 1999

**Oda T, Ikeda N, Sato Y.** Effects of the ethyl and benzyl ethers of indenestrols A and B on cytotoxicity in chinese hamster V79 cells. *Biol Pharm Bull* 23, 119-121 2000