

Title	原著論文
Sub Title	
Author	
Publisher	共立薬科大学
Publication year	2000
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.45 (2000. ) ,p.31- 39
JaLC DOI	
Abstract	
Notes	
Genre	Technical Report
URL	<a href="https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000045-0031">https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000045-0031</a>

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

# 原 著 論 文

英 文

**Ishikawa S, Saitoh N, Mochizuki M.** Synthesis and properties of novel bifunctional nitrosamines with  $\omega$ -chloroalkyl groups. Chem Pharm Bull 48, 1500-1503, 2000

Okuda K, Hirota T, Hirobe M, Nagano T, **Mochizuki M, Mashino T.** Synthesis of various water-soluble C<sub>60</sub> derivatives and their superoxide-quenching activity. Fullerene Sci Tech 8, 89-104, 2000

**Mashino T, Takigawa Y, Saito N, Wong LQ, Mochizuki M.** Antioxidant Activity and Xanthine Oxidase Inhibition Activity of Reductic Acid; Ascorbic Acid Analog. Bioorg Med Chem Lett 10, 2783-2785, 2000

**Tokino K, Matsushita H, Ohno T, Mochizuki M.** A human leukemia cell line CCRF-HSB-2 is useful for the screening of antitumor activity. Tumor Res 35, 49-55, 2000

**Yokoyama S, Abe Y, Abe M.** Preparation and physicochemical properties of new crystalline complexes composed of fatty acids and ethylenediamine. Material Technology 18, 48-52, 2000

**Yokoyama S, Suga T, Imura T, Abe M.** Surface active properties of aqueous solution of diphenylpyraline hydrochloride in the presence of procaine hydrochloride. Material Technology 18, 62-65, 2000

Imura T, Sakai H, Yamauchi H, **Yokoyama S, Abe M.** Domain formation and phase separation in mixed phosphatidylcholine/ceramide 3 monolayers and bilayers. J Jpn Oil Chem Soc 49, 373-377, 2000

**Yokoyama S, Takeda T, Abe M.** Effect of ganglioside G<sub>M1</sub> micelles on autoxidation of aqueous solution of epinephrine hydrochloride. Material Technology 18, 164-170, 2000

Imura T, Sakai H, Yamauchi H, Kozawa, K, **Yokoyama S, Matsumoto M, Abe M.** Atomic force microscopic study on the surface properties of phospholipid monolayers containing ceramide 3. Colloid Surf B: Biointerfaces 19, 81-87, 2000

Imura T, Sakai H, Yamauchi H, **Yokoyama S**, Abe M. Preparation of liposomes containing ceramide 3 and their membrane characteristics. *Colloid Surf B: Biointerfaces* 20 1-8, 2001

Tabohashi T, Tobita K, Sakamoto K, Kouchi J, **Yokoyama S**, Sakai H, Abe M. Solution properties of amino acid-type new surfactant. *Colloid Surf B: Biointerfaces* 20, 79-86, 2001

Yokouchi Y, Tsunoda T, Imura T, Yamauchi H, **Yokoyama S**, Sakai H, Abe M. Effect of adsorption of bovine serum albumin on liposomal membrane characteristics. *Colloid Surf B: Biointerfaces* 20, 95-103, 2001

Tsunoda T, Imura T, Kadota M, Yamauchi H, Kwon K, **Yokoyama S**, Sakai H, Abe M. Effects of lysozyme and bovine serum albumin on membrane characteristics of dipalmitoyl-phosphatidylglycerol liposomes. *Colloid Surf B: Biointerfaces* 20, 155-163, 2001

Kamogawa K, Akatsuka H, Matsumoto M, **Yokoyama S**, Sakai T, Sakai H, Abe M. Surfactant-free O/W emulsion formation of oleic acid and its esters with ultrasonic dispersion. *Colloid Surf A* 180, 41-53, 2001

**Takeda T, Yokoyama S.** Antioxidant effect of new flavonoid isolated from *Anaxagorea luzonensis* A. Gray on Autoxidation of epinephrine hydrochloride. *Material Technology* 18, 238-241, 2000

**Maruyama M, Takeda T, Shimizu N, Hada N**, Yamada H. Synthesis of a model compound related to an anti-ulcer pecti polysaccharide. *Carbohydr Res* 325, 83-92, 2000

**Hada N, Kuroda M, Takeda T.** Synthetic studies on glycosphingolipids from Protostomia Phyla: Synthesis of a glycosphingolipid analogue from the parasite *Spirometra erinacei*. *Chem Pharm Bull* 48, 1160-1165, 2000

**Hada N, Ohtsuka I, Sugita M, Takeda T.** Synthetic studies on novel fucosylated glycosphingolipids from the millipede, *Parafontaria laminata armigera*. *Tetrahedron Lett* 41, 9065-9068, 2000

Huang J, Ogihara Y, **Shimizu N, Takeda T**, Akiyama T. Triterpenoids from stem bark of *Ilex latifolia*. *Natural Medicines*, 54, 107, 2000

Huang J, Ogihara Y, Zhang H, **Shimizu N, Takeda T**. Ardisimamillosides C-F, four new triterpenoid saponins from *Ardisia mamillata*. *Chem Pharm Bull* 48, 1413-1417, 2000

Huang J, Ogiara Y, Zhang H, Shimizu N, Takeda T. Triterpenoid saponins from *Ardisia mamillata*. *Phytochemistry* 54, 817-822, 2000

Huang J, Ogiara Y, Gonda R, Takeda T. Novel biphenyl ether lignans from the rhizomes of *Curcuma chuanyujin*. *Chem Pharm Bull* 48, 1228-1229, 2000

Gonda R, Takeda T, Akiyama T. Studies on the constituents of *Anaxagorea luzonensis* A.Gray. *Chem Pharm Bull* 48, 1219-1222, 2000

Huang J, Wang X, Ogiara Y, Shimizu N, Takeda T, Akiyama T. Latifolosides I and J, two new triterpenoid saponins from the bark of *Ilex latifolia*. *Chem Pharm Bull* 49, 239-241, 2001

Nagata Y, Nishio T, Matsumoto S, Kanazawa H, Mochizuki M, Matsushima Y. Reaction of 2,2,5,7,8-Pentamethyl-6-chromanol, an  $\alpha$ -Tocopherol Analogue, with NO in the Presence of Oxygen. *Bioorg Med Chem Lett* 10, 2709-2712, 2000

Kanazawa H, Miyata C, Nagata Y, Urano S, Matsushima Y. Determination of  $\alpha$ -Tocopherol and  $\alpha$ -Tocopherylquinone in Rat Tissues and Plasma by High-Performance Liquid Chromatography with Electrochemical Detection. *Chem Pharm Bull* 48, 1462-1466, 2000

Kanazawa H, Sunamoto T, Matsushima Y, Kikuchi A, Okano T. Temperature-Responsive Chromatographic Separation of Amino Acid Phenylthiohydantoins using Aqueous Media as the Mobile Phase. *Anal Chem* 72, 5961-5966, 2000

Okubo S, Mashige F, Hashimoto Y, Nakahara K, Kanazawa H, Matsushima Y, Fukushima T, Huang Y, Imai K. D-Serine Concentration in Blood Serum of Liver Transplanted Patients. *Chromatoigraphy* 21, 43-47, 2000

Okubo S, Mashige F, Omori M, Hashimoto Y, Nakahara K, Kanazawa H, Matsushima Y. Enantiometric determination of L- and D-lactic acid in human cerebrospinal fluid by chiral ligand exchange high-performance liquid chromatography. *Biomed Chromatogr* 14, 474-477, 2000

Yamamoto K, Kanazawa H, Matsushima Y, Takai N, Kikuchi A, Okano T. Preparation of Packing Materials for Temperature-Responsive Chromatography. Modification of Silica Surface with Poly(N-isopropylacrylamide). *Chromatography* 21, 209-215, 2000

**Nasu K, Takahashi K, Morisaki M**, Fujimoto Y. Stereochemical fate of C-26 and C-27 during the conversion of isofucosterol to sitosterol and of 24-methylenecholesterol to campesterol and dihydrobrassicasterol in *Oriza sativa* cell cultures. *Phytochemistry* 54, 381-385, 2000

**Morisaki M, Igata T, Yamamoto S.** Synthesis of 15  $\alpha$ -fluoro-24, 25-dihydrolanosterol as a potential inhibitor and/or mechanistic probe for lanosterol 14  $\alpha$ -demethylase. *Chem Pharm Bull* 48, 1474-1479, 2000

**Iijima S, Shiba K, Kimura M, Nagai K, Iwai T.** Changes of  $\alpha$ 1-acid glycoprotein microheterogeneity in acute inflammation stages analyzed by isoelectric focusing using serum obtained postoperatively. *Electrophoresis* 21, 753-759, 2000

**Morita-Murase Y, Murakami I, Homma Y.** Cherenkov counting efficiencies for beta-emitters in dry state in glass vials. *Chem letters* 2000 1158-1159, 2000

**Morita-Murase Y, Murakami I, Homma Y.** The air luminescence count for the rapid determination of  $^{222}\text{Rn}$  in a liquid scintillation spectrometer. *Chem Letters* 2001 238-239, 2001

Matsukura S, Bando M, Obazawa H, **Oka M, Takehana M**. Ascorbate free radical reductase activity in vertebrate lenses of some species. *Nippon Ganka Gakkai Zasshi* 104, 384-389, 2000

Kiriyama MT, **Oka M, Takehana M, Kobayashi S.** Expression of a small heat shock protein 27 (HSP27) in mouse skin tumors induced by UVB-irradiation. *Biol Pharm Bull* 24, 197-200, 2001

**Makimoto J, Nakamura K, Takehana M, Kobayashi S**, Katoh E, Suzuki T. Combined use of sodium-L-ascorbyl-2 phosphate as protection against UVB-induced damage to mouse skin. *Photomed Photobiol* 22, 41-43, 2000

**Mukai M, Nakamura K**, Nakamura H, Iizuka T, Shiro Y. Roles of Ile209 and Ile210 on the heme pocket structure and regulation of histidine kinase acitivity of oxygen sensor FixL from *Rhizobium meliloti*. *Biochem* 39, 13810-13816, 2000

Miyatake H, Mukai M, Park S-Y, Adachi S, Tamura K, Nakamura H, **Nakamura K**, Tsuchiya T, Iizuka T, Shiro Y. Sensory mechanism of oxygen sensor FixL from *Rhizobium meliloti*: crystallographic, mutagenesis and resonance Raman spectroscopic studies. *J Mol Biol* 301, 415-431, 2000

**Sonoda Y, Matsumoto Y, Funakoshi M, Yamamoto D, Hanks SK, Kasahara T.** Anti-apoptotic role of focal adhesion kinase (FAK): Induction of inhibitor-of-apoptosis proteins and apoptosis suppression by the overexpression of FAK in a human leukemic cell line, HL-60. *J Biol Chem* 275, 16309-16315, 2000

**Ueno M, Sonoda Y, Funakoshi M, Mukaida N, Nose K, Kasahara T.** Differential induction of JE/MCP-1 in subclones from a murine macrophage cell line, RAW264.7: Role of κB-3 binding protein. *Cytokine* 12, 207-219, 2000

**Adachi R, Matsui S, Kinoshita M, Nagaishi K, Sasaki H, Kasahara T, Suzuki K.** Nitric oxide induces chemotaxis of neutrophil-like HL-60 cells and translocation of cofilin to plasma membranes. *Int J Immunopharmacol* 22, 855-864, 2000

**Tajima J, Heike Y, Kato K, Igarashi Y, Asada-Mikami R, Yoshida M, Kasahara T, Wakasugi H.** Establishment and usefulness of an anti-human CD57 IgG1 monoclonal antibody. *Immunology Letters* 72, 159-162, 2000

**Kaneko M, Inoue F, Oda T.** Calcium associated resistance to H<sub>2</sub>O<sub>2</sub> in Chinese hamster V79 cells. *Toxicol Lett.* 19;115(2) 137-147, 2000

**Funakoshi M, Sonoda Y, Tago K, Tominaga SI, Kasahara T.** Differential involvement of p38 mitogen-activated protein kinase and phosphatidyl inositol 3-kinase in the IL-1-mediated NF-κB and AP-1 activation. *International Immunopharmacology* 1, 595-604, 2001

**Matui S, Adachi R, Kusui K, Yamaguchi T, Kasahara T, Hayakawa T, Suzuki K.** U73122 inhibits the dephosphorylation and translocation of cofilin in activated macrophage-like U937 cells. *Cellular Signalling* 13, 17-22, 2001

**Shimotohno KW, Hiraishi Y, Miura Y, Endo T.** Molecular cloning and sequencing of the edeine B<sub>1</sub> amidinohydrolase gene of *Bacillus brevis* TT02-8 and its expression in *Escherichia coli*. *J Antibiotics* 53, 1363-1372, 2000

**Ogata M, Hoshi M, Urano S, Endo T.** Antioxidant Activity of Eugenol and Related Monomeric and Dimeric Compounds. *Chem Pharm Bull* 48, 1467-1469, 2000

**Hoshi M, Endo T.** Microbial and Chemical Conversion of Antibiotic K41. II. Preparation of K41-DA1, -DA2 and -DA3, Deamicetosyl Derivatives of Antibiotic K41. *J Antibiotics* 53, 1154-1157, 2000

**Fujii T, Nakai K, Nakajima Y, Kawashima K.** Enhancement of hippocampal cholinergic neurotransmission through 5-HT<sub>1A</sub> receptor mediated pathways by repeated lithium treatment in rats. *Can J physiol Pharmacol*, 78, 392–399, 2000

**Harada H, Hosonuma K, Fujii T, Kawashima K.** Enhancement of cerebral cortical acetylcholine release by intraperitoneal acetic acid and its suppression by analgesics in freely moving rats. *Neurosci Lett* 284, 164–166, 2000

**Fujii T, Kawashima K.** Ca<sup>2+</sup> oscillation and c-fos gene expression induced via muscarinic acetylcholine receptor in human T- and B-cell lines. *Naunyn-Schmiedeberg's Arch Pharmacol* 362, 14–21, 2000

**Fujii T, Harada H, Koyama T, Nakajima Y, Kawashima K.** Effects of physostigmine and calcium on acetylcholine efflux from the hippocampus of freely moving rats as determined by in vivo microdialysis and a radioimmunoassay. *Neurosci Lett* 289, 181–184, 2000

**Fujii T, Kawashima K.** Calcium signaling and c-fos gene expression via M<sub>3</sub> muscarinic acetylcholine receptors in human T- and B-cells. *Japan J Pharmacol* 84, 124 – 132, 2000

Furukawa N, Goshima Y, Miyamae T, Sugiyama Y, Shimizu M, Ohshima E, Suzuki F, Arai N, Fujita K, Misu Y. L-DOPA cyclohexyl ester is a novel potent and relatively stable competitive antagonist against l-DOPA among several L-DOPA ester compounds. *Jpn J Pharmacol* 82, 40–47, 2000

**Isawa M, Yamazaki K, Hattori K, Takahashi A, Tada K, Tsuchiya F, Nakashima E.** An Investigation into the current management for patients with long-term withdrawal periods from drugs. *Jpn J Hos Pharm* 26, 432-437, 2000

**Matsunaga N, Hattori K, Iizasa H, Fukuhara M, Takanaka A, Nakashima E.** A simplified diagnostic approach for estimating in vivo hepatic drug clearance; its preliminary application for the drug caffeine, using CYP1A probe in a rat model. *Jpn J Hosp Pharm* 26, 492-504, 2000

Nakajima Y, Hattori K, Shinsei M, Matsunaga N, Iizasa H, Sasabe H, Akiyama H, Miyamoto G, Nakashima E. Physiologically-based pharmacokinetic analysis of Grepafloxacin. *Biol Pharm Bull* 23, 1077-1083, 2000

**Hattori K, Muta M, Toi M, Iizasa H, Shinsei M, Terasaki T, Obinata M, Ueda M, Nakashima E.** Establishment of bone marrow-derived endothelial cell lines from ts-SV40 T-antigen gene transgenic rats. *Pharm Res* 18, 9-15, 2001

Hirata A, Yoshida S, Inoue N, Matsumoto-Miyai K, Ninomiya A, Taniguchi M, Matsuyama T, Kato K, **Iizasa H**, Kataoka Y, Yoshida N, Shiosaka S. Abnormalities of Synapses and Neurons in the Hippocampus of Neuropsin-Deficient Mice. *Mol Cell Neurosci* 17, 600-610, 2001

**Nagai F**, Satoh H, Matsui M, **Tamura H**. Assignment of rat estrogen sulfotransferase gene (Ste) to rat chromosome band 14p21.3→p21.2. *Cytogenet Cell Genet* 88, 74-75, 2000

**Tamura H**, Matsui M. Inhibitory effects of green tea and grape juice on the phenol sulfotransferase activity of mouse intestines and human colon carcinoma cell line, Caco-2. *Biol Pharm Bull* 23, 695-699, 2000

**Satoh T**, Matsui M, **Tamura H**. Sulfotransferases in a human colon carcinoma cell line, Caco-2. *Biol Pharm Bull* 23, 810-814, 2000

**Yoshiyama Y**, **Yazaki T**, **Kanke M**. Nephrotoxicity of teicoplanin in rats. *Jpn J Antibiotics* 53, 660-666, 2000

Iwakawa K, **Kizu J**, Hosaka Y, Yamamoto K. “Cephem-induced vancomycin resistance” observed in phenotypically methicillin resistant staphylococcus aureus isolated from a patient treated with vancomycin and cephems. *Jpn J Infect Dis* 53, 167-169, 2000

**Abe Y**, **Shoji T**, Matsubara M, Yoshida M, **Sugata S**, Iwata K. Chiral discrimination of N-carbazole-carbonyl derivatives of  $\alpha$ -amino acids with short linear side chain by bovine serum albumin. *Chirality* 12, 565-567, 2000

**Mori H**, **Ando M**, **Sugi Y**, **Kimura M**, Machida K. Determination of Glucose in Plasma Using Immobilized Enzymes in a Flow System. *J Health Sci* 46, 219-222, 2000

**Mori H**. Direct Determination of Nitrate Using Nitrate Reductase in a Flow System. *J Health Sci* 46, 385-388, 2000

**Mori H**. Determination of Nitrate in Biological Fluids Using Nitrate Reductase in a Flow System. *J Health Sci* 47, 65-67, 2001

**Sugata S**, **Abe Y**. An analogue column model for nonlinear isotherms: the double-glazed vessel model. *J Chem Software* 6, 127-136, 2000

**Fukushima N, Matsumoto K.** A Historical Study of the Administration of Pharmaceutical Affairs in Japan. Jpn J History of Pharmacy 35, 240-246, 2000

Miyamoto N, Takahashi F, **Fukushima N.** History of the School Pharmacist System in Japan. Jpn J History of Pharmacy 35, 224-226, 2000

Kamei M, Teshima K, **Fukushima N**, Nakamura T. Investigation of Patients' Demand for Community Pharmacies: Relationship between Pharmacy Services and Patient Satisfaction. YAKUGAKU ZASSI 121, 215-220, 2001

Shiragami M, Kamei M, **Fukushima N**, Nakamura T. Analysis of Relationship between Community Pharmacies' Work Situation and Time Required to Fill Prescriptions. Jpn J Social Pharmacy 19, 9-27, 2000

**Ikeda T**, Hashi T. Thinning Corn and Volunteering the Cosmos: Maternal Generational Trauma in Bobby Ann Mason's *Offerings*. Ann Rept Kyoritsu Coll Pharm 44, 23-30, 2000

## 和 文

藤本 啓, 兼俊明夫, 青柳光敏, 林 隆章, 妹帶正樹, 羽田紀康, 羽田純子. 北海道産植物資源の有効利用に関する研究 ヌルデ葉からのヒスタミン遊離抑制活性物質 6-pentadecylsalicylic acid の単離. 北海道立衛生研究所報 50, 89-90, 2000

藤本善徳, 森崎益雄, 池川信夫. 植物ステロール側鎖の生合成機構の精密解析. 薬学雑誌 120, 863-873, 2000

飯島史朗, 志村佐恵子, 土田敦子, 木村 都, 芝 紀代子, 平塚信夫, 井上潤子, 山口信隆. セルロースアセテート膜等電点電気泳動法の支持体としての SEPARAX-SP 膜の有用性について. 生物物理化学 44, 39-42, 2000

吉山友二, 菅家甫子. ネブライザー療法における塩酸セフメノキシムの薬剤安定性および噴霧特性. 耳鼻咽喉科展望 43, 209-214, 2000

吉山友二, 原 愛, 菅家甫子, 朝井 慶. 新規超音波ネブライザーにおけるステロイド懸濁液の噴霧および薬剤安定性. 耳鼻咽喉科展望 43, 31-34, 2000

加文字理江, 上原千穂, 神山真澄, 近藤和雄, 菅家甫子, 柴崎敏昭. 原発性ネフローゼ症候群におけるフルバスタチンの抗酸化作用の検討. Therapeutic Research, 21, 2647-2649, 2000

斎尾武郎, 栗原千絵子, 松本佳代子, 丁 元鎮. 必須医薬品の歴史と医薬品の合理的使用の今日的課題. 臨床と薬物治療 20, 85-89, 2001

池田年穂. 『ジャップの収容所』紹介 一第 II 部. 共立薬科大学研究年報 44, 9-21, 2000

小田原宏行. 制限 3 体問題から生成されるカオス II. 共立薬科大学研究年報 44, 31-39, 2000

板垣悦子, 桜木真智子, 高久田明. 「五感」と「血圧」の関係 (IV) 一視覚への刺激 II-1. 共立薬科大学研究年報 44, 1-8, 2000