

Title	原著論文
Sub Title	
Author	
Publisher	共立薬科大学
Publication year	2001
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.46 (2001.) ,p.81- 90
JaLC DOI	
Abstract	
Notes	
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000046-0081

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

原 著 論 文

英 文

Huang SS, Chih LH, Lin CH, Chiang LY, Mashino T, Mochizuki M, Okuda K, Hirota T, Tsai MC. Effects of hexasulfobutylated C₆₀ on the gastric circular muscle of Gunia pig. Fullerene Sci Tech 9(3), 375-395, 2001

Huang SS, Mashino T, Mochizuki M, Chiang LY, Chih LH, Hsieh HM, Teng CM, Okuda K, Hirota T, Tsai MC. Effect of hexasulfobutylated C₆₀ on the isolated aortic ring of Guinea pig. Pharmacology 64, 91-97, 2002

Mashino T, Okuda K, Hirota T, Hirobe M, Nagano T, Mochizuki M. Inhibitory effect of fullerene derivatives on glutathione reductase. Fullerene Sci Tech 9, 191-196, 2001

Satoh M, Mashino T, Nagano T, Hirobe M, Takayanagi I, and Koike K. Inhibitory effects of fullerene C₆₀ derivatives on endothelium-derived relaxation in rabbit thoracic aorta. Fullerene Sci Tech 9, 141-151, 2001

Wanatabe N, Okochi E, Hirayama Y, Shimada Y, Yanagihara K, Yoshida MC, Takahashi S, Mochizuki M, Sugimura T, Nagao M, Ushijima T. Single nucleotide instability without microsatellite instability in rat mammary carcinomas. Cancer Res 61, 2632-2640, 2001

Wanatabe N, Okochi E, Mochizuki M, Sugimura T, Ushijima T. The presence of single nucleotide instability in human breast cancer cell lines. Cancer Res 61, 7739-7742, 2001

Kaise C, Sakai H, Yamaguchi A, Yokoyama S, Kaneko T, Abe M. Solubilization of oil-soluble medicines by liposome with deep sea water. J Oleo Sci 51, 145-149, 2002

Kaise C, Sakai H, Yamaguchi A, Yokoyama S, Kaneko T, Arai Y, Abe M. Vesicles formation of double-chain cationic surfactants with different chain-lengths in deep sea water. J Oleo Sci 51, 43-50, 2002

Kouchi J, Tabohashi T, Yokoyama S, Harusawa F, Yamaguchi A, Sakai H, Abe M. Emulsifying potency of new amino acid-type surfactant (1). O/W emulsions. *J Oleo Sci* 50, 847-855, 2001

Yokoyama S, Kouchi J, Tabohashi T, Harusawa F, Yamaguchi A, Sakai H, Abe M. Emulsifying potency of new amino acid-type surfactant (2): Stable W/O emulsions containing 85 wt% inner water phase. *Chem Pharm Bull* 49, 1331-1335, 2001

Yokoyama S, Takeda T, Takahashi H, Ohta Y, Park S H, Nishikawa T, Abe M. Lipid peroxidation and the antioxidant effects of 3,5,7,4'-tetrahydroxy-2'-methoxyflavone; direct observation by atomic force microscopy. *J Oleo Sci* 51, 63-67, 2002

Yokoyama S, Takeda T, Abe M. Inhibition effects of gangliosides GM1, GD1a and GT1b on base-catalyzed isomerization of prostaglandin A2. *Colloids and Surfaces B:Biointerfaces*, 20, 361-368, 2001

Yokoyama S, Takeda T, Ohta Y, Imura T, Yamaguchi A, Sakai H, Abe M. Conformational change of ganglioside GM1 with surface pressure, Related to signal transduction?. *J Oleo Sci* 50(11), 917-920, 2001

Dou D, Chen Y, Liang L, Pang F, Shimizu N, Takeda T. Six new dammarane-type triterpene saponins from the leaves of Panax ginseng. *Chem Pharm Bull* 49(4), 442-446, 2001

Hada N, Ogino T, Yamada H, Takeda T. Syntheses of model compounds related to an antigenic epitopes in pectic polysaccharides from *Bupleurum falcatum* L. *Carbohydr Res* 334, 7-17, 2001

Gonda R, Takeda T, Akiyama T. Studies on the constituents of *Anaxagorea luzonensis* A. Gray II. *Natural Medicines* 55, 316, 2001

Huang J, Wang X, Ogihara Y, Shimizu N, Akiyama T, Takeda T. Latifolosides K and L, two new triterpenoid saponins from the bark of *Ilex latifolia*. *Chem Pharm Bull* 49(6), 765-767, 2001

Itonori S, Hamana H, **Hada N**, Takeda T, Dulaney J, Sugita M. Structural characterization of a novel series of fucolipids from the marine annelid, *Pseudotamilla occelata*. *J Oleo Sci* 50(7), 537-544, 2001

Hada N, Takeda T, Yokoyama S. Effects of oligosaccharides having the glucuronic acid residue on base-catalyzed prostaglandin E2 dehydration and isomerization. *J Oleo Sci* 50(7), 561-568, 2001

Narukawa Y, Shimizu N, Shimotohno K, Takeda T. Two new diterpenoids from *Plectranthus nummularius* Briq. *Chem Pharm Bull* 49(9), 1182-1184, 2001

Hada N, Totsuka Y, Enya T, Tsurumaki K, Nakazawa M, Kawahara N, Murakami Y, Yokoyama Y, Sugimura T, Wakabayashi K. Structures of mutagens produced by the co-mutagen norharman with o- and m-toluidine isomers. *Mutat Res* 493, 115-126, 2001

Hada N, Sato K, Sakushima J, Goda Y, Sugita M, Takeda T. Synthetic studies on glycosphingolipids from *Protostomia* Phyla: Synthesis of amphoteric glycolipid analogues containing a phosphocholine residue from the earthworm *Pheretima hilgendorfi*. *Chem Pharm Bull* 49(11), 1464-1467, 2001

Kimura K, Itonori S, **Hada N**, Itasaka O, Dulaney J.T, Takeda T, Sugita M. Phosphonoglycolipids in marine crustacean:Structural characterization of two novel phosphonocerebrosides, from the Crab, *Erimacrus isenbeckii*. *J Oleo Sci*, 51, 83-91, 2002

Gonda R, Takeda T, Akiyama T. Studies on the constituents of *Anaxagorea luzonensis* A. Gray III. *Natural Medicines* 56 10-12, 2002

Ayano E, Kanazawa H, Kikuchi A, Okano T. Environmental Responsive Chromatography. *Anal Sci* 17, I873-I874, 2001

Kanazawa H, Ayano E, Chiba K, Kikuchi A, Okano T. Temperature-Responsive Chromatography-Effect of Temperature Gradient-. *Anal Sci* 17, 875-876, 2001

Kanazawa H, Okada A, Matsushima Y, Mashige F, Okubo S, Yokota H, Nakahara K. Determination of omeprazole and its metabolites in human plasma by liquid chromatography-mass spectrometry. *J Chromatogr A* 949, 1-9, 2002

Kanazawa H, Sunamoto T, Ayano E, Matsushima Y, Kikuchi A, Okano T. Temperature-Responsive Chromatography Using Poly(N-isopropylacryl-amide) Hydrogel-Modified Silica. *Anal Sci* 18, 45-48, 2002

Kanazawa H, Tsubayashi H, Nagata Y, Matsushima Y, Mori C, Kizu J, Higaki H. Stereospecific Analysis of Loxoprofen in Plasma by Chiral Column Liquid Chromatography with A Circular Dichroism -Based Detector. *J Chromatogr A* 948, 303-308, 2002

Okada A, Kanazawa H, Mashige F, Okubo S, Yokota H. Determination of Omeprazole and its Metabolites in Human Plasma as a Probe For CYP2C19 Phenotype. *Anal Sci* 17, 871-873, 2001

Akatsuka I, Bando M, Obazawa H, Oka M, Takehana M, Kobayashi S. NADH-dependent Dehydroascorbate Reductase in the Rabbit Lens. *J Exp Clin Med* 26, 25-32, 2001

Matsukura S, Bando M, Obazawa H, Oka M, Takehana M. Ascorbate free radical reductase activity in vertebrate lenses of certain species. *Jpn J Ophthalmol* 45, 233-239, 2001

Hirano E, Okamoto K, Matsubara Y, Takehana M, Kobayashi S, Tajima, S. Elastin expression in cultured human keratinocytes: exon 26A of elastin primary transcript is always included in terminally differentiated keratinocytes. *Arch Dermatol Res* 293, 430-433, 2001

Nihei C, Nakayashiki T, Nakamura K, Inokuchi H, Gennis R B, Kojima S, Kita K. Abortive assembly of succinate-ubiquinone reductase (Complex II) in a ferrochelatase-deficient mutant of *Escherichia coli*. *Molecular Genetics and Genomics* 265, 394-404, 2001

Akagi A, Tajima S, Ishibashi A, Matsubara Y, Takehana M, Kobayashi S, Yamaguchi N. Type XVI collagen is expressed in factor XIIIa+ monocytes-derived dermal dendrocytes and constitutes a potential substrate for factor XIIIa. *J Invest Dermatol* 118, 267-274, 2002

Bando M, Obazawa H, Takehana M. Heterogeneity of ascorbate free radical reductase in the human lens. *Dev Ophthalmol* 35, 143-149, 2002

Mori M, Terui Y, Tanaka M, Tomizuka H, Mishima Y, Ikeda M, **Kasahara T**, Uwai M, Ueda M, Inoue R, Itoh T, Yamada M, Hayasawa H, Furukawa Y, Ishizaka Y, Ozawa K, Hatake K. Antitumor effect of beta2-microglobulin in leukemic cell-bearing mice via apoptosis-inducing activity: activation of caspase-3 and nuclear factor-kappaB. *Cancer Res* 61(11), 4414-4417, 2001

Kasahara T, Matsushima K. Macrophage signaling, apoptosis, lectins and leukocyte trafficking. *Trends Immunol* 22(11), 593-4, 2001

Matsui S, **Matsumoto S**, Adachi R, Kusui K, **Hirayama A**, **Watanabe H**, Ohashi K, Mizuno K, Yamaguchi T, **Kasahara T**, Suzuki K. LIM kinase 1 modulates opsonized zymosan-triggered activation of macrophage-like U937 cells. Possible involvement of phosphorylation of cofilin and reorganization of actin cytoskeleton. *J Biol Chem* 277(1), 544-549, 2002

Funakoshi M, Tago K, Sonoda Y, Tominaga S, Kasahara T. A MEK inhibitor, PD98059 enhances IL-1-induced NF-kappaB activation by the enhanced and sustained degradation of IkappaBalpha. *Biochem Biophys Res Commun* 283(1), 248-254, 2001

Sonoda Y, Yamamoto D, Sakurai S, Hasegawa M, Aizu-Yokota E, Momoi T, Kasahara T. FTY720, a novel immunosuppressive agent, induce apoptosis in human glioma cells. *Biochem Biophys Res Commun* 281 (2), 282-288, 2001

Tago K, **Funakoshi M**, Mano H, Yanagisawa K, Hayakawa M, Kuroiwa K, Iwahana H, **Kasahara T**, Tominaga S. Presence of a genistein-responsive inhibitory mechanism on interleukin-1alpha-induced NF-kappaB activation. *Eur J Biochem* 268(24), 6526-6633, 2001

Ochi T, **Oda T**. Structure-effect relationship in the induction of mitotic phase-specific abnormality of centrosome integrity and multipolar spindles by steroid estrogens and their derivatives in cultured mammalian cells. *J Steroid Biochem Mol Biol* 78, 113-122, 2001

Oda T, Ikeda N, Nakashima S, Sato Y. Cytotoxicity of Estradiol, Equilin, Equilenin, and

Their Derivatives on Chinese Hamster V79 Cells. Drug Chem Toxicol 25, 75-82, 2002

Oda T, Tanaka M, Sasaki T. Cytotoxicity of Synthetic Estrogen and Related Compounds in Various Tumor-Derived Cells. Biol Pharm Bull 24 1142-1144, 2001

Fujii T, Kawashima K. YM905, a novel M_3 antagonist, inhibits Ca^{2+} signaling and c-fos gene expression via muscarinic receptors in human T-cells. Gen Pharmacol 35, 71-75, 2001

Fujimoto K, Matsui M, Fujii T, Kawashima K. Decreased acetylcholine contents and mRNA expression for choline acetyltransferase in circulating mononuclear leukocytes and lymphoid organs of spontaneously hypertensive rat. Life Sci 69/14, 1629-1638, 2001

Jacoby DB, Yost B, Kumaravel B, Yee C-L, Xiao H-Q, **Kawashima K**, Fryer AD. Glucocorticoid treatment increases inhibitory M_2 muscarinic receptor expression and function in the airways. Am J Respir Cell Mol Biol 24, 485-491, 2001

Suzuki T, Matsugi T, Takagi T, Kanagawa M, Hirata M, Nakamura T, Kudo Y, Kawashima K. Functional expression of alfa-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors precedes the development of cholinergic phenotype in embryonic rat septal cells in culture. Neurosci Lett 311, 89-92, 2001

Asashima T, Iizasa H, Terasaki T, Hosoya K, Tetsuka K, Ueda M, Obinata M, Nakashima E. Newly Developed Rat Brain Pericyte Cell Line, TR-PCT1, Responds to Transforming Growth Factor- β 1 and β -glycerophosphate. Eur J Cell Biol 81(3), 145-152, 2002

Hattori K, Matsushita R, Kimura K, Abe Y, Nakashima E. Synergistic Effect of Indomethacin with Adriamycin and Cisplatin on Tumor Growth. Biol Pharm Bull 24(10), 1214-1217, 2001

Matsunaga N, Hattori K, Iizasa H, Kizu J, Takanaka A, Nakashima E. Application of the PKCYP-test in Cases of Altered CYP1A2 for Multiple CYP Systems in Rat Models of Disease. Biol Pharm Bull 24(9), 1037-1043, 2001

Matsunaga N, Nishijima N, Hattori K, Iizasa H, Yamamoto K, Kizu J, Takanaka A, Morikawa A, Nakashima E. Application of the PKCYP-test to Predict the Amount of *In Vivo* CYP2C11 Using Tolbutamide as a Probe. *Biol Pharm Bull* 24(11), 1305-1310, 2001

Yokogawa K, Nakaharu T, Ishizaki J, Ozaki E, Takeda Y, Mabuchi H, Matsushita R, Kimura K, Nakashima E, Ichimura F, Mihiyamoto K. Kinetic phenotype diagnosis of N-acetylation polymorphism in patients based on ratio of urinary metabolites of salicylazosulfapyridine. *Int J Pharmaceut* 229, 183-191, 2001

Isozaki T, Tamura H. Epigallocatechin gallate (EGCG) inhibits the sulfation of 1-naphthol in a human colon carcinoma cell line, Caco-2. *Biol Pharm Bull* 24, 1076-1078, 2001

Kimoto T, Tsurugizawa T, Ohta Y, Makino J, Tamura H, Hojo Y, Takata N, Kawato S. Neurosteroid synthesis by cytochrome P450-containing systems localized in the rat brain hippocampal neurons:N-methyl-D-aspartate and calcium-dependent synthesis. *Endocrinology* 142, 3578-3589, 2001

Tamura H, Taniguchi K, Hayashi E, Hiyoshi Y, Nagai F. Expression profiling of sulfotransferases in human cell lines derived from extra-hepatic tissues. *Biol Pharm Bull* 24, 1258-1262, 2001

Tamura H, Matsui M. Effects of phenolic environmental estrogens on the sulfotransferase activity of the mouse intestine and a human colon carcinoma cell line, Caco-2. *J Health Sci* 47, 468-472, 2001

Nagai F, Hiyoshi Y, Sugimachi K, Tamura H. Cytochrome P450 (CYP) expression in human myeloblastic and lymphoid cell lines. *Biol Pharm Bull* 25, 383-385, 2002

Yoshiyama Y, Sugiyama T, Kanke M, Tsuchimoto K. Influence of the light schedule on the toxic interaction between propranolol and disopyramide in chick embryos. *Biol Pharm Bull* 24, 429-431, 2001

Yoshiyama Y, Yazaki T, Wong P, Beauchamp D, Kanke M. The effect of fosfomycin on glycopeptide antibiotic-induced nephrotoxicity in rats. *J Infect Chemother* 7(4), 243-246, 2001

Asakura T, Hashizume Y, Tashiro K, Seearashi Y, Ohkawa K, Nishihira J, Sakai M, Shibasaki T. Suppression of GST-P by treatment with glutathione-doxorubicin conjugate induces potent apoptosis in rat hepatoma cells. *Int J Cancer* 94, 171-177, 2001

Fukumoto M, Kujiraoka T, Hara M, Shibasaki T, Hosoya T, Yoshida M. Effect of cadmium on gap junctional intercellular communication in primary cultures of rat renal proximal tubular cells. *Life Sci* 69, 247-254, 2001

Shibasaki T, Uehara C, Ohno I, Ishimoto F. Visual disturbance due to carotid artery thrombosis in a patient with familial hypercholesterolemia; response to surgical thrombotectomy. *Intern Med* 40, 421-423, 2001

Miyazaki Y, Arakawa M, Kizu J. Introduction of Simple Swallowing Ability Test for Prevention of Aspiration Pneumonia in the Elderly and Investigation of Factors of Swallowing Disorders. *YAKUGAKU ZASSHI* 122(1), 97-105, 2002

Kizu J, Tsuchiya M, Watanabe S, Yasuno N, Arakawa Y, Sajyo H, Okuda O. Preparation and clinical application of 2% diflunisal oral ointment for painful lesions of the oral mucosa. *YAKUGAKU ZASSHI* 121(11), 829-835, 2001

Sekine Y, Takai Y, Nishii O, Kudaka N, Onozawa A, Arai H, Kizu J, Arakawa Y, Tsutsumi O. The participation of pharmacists in a team to introduce a clinical pathway to laparoscopic cystectomy in obstetrics and gynecology. *YAKUGAKU ZASSHI* 121(12), 995-1004, 2001

Sugata S, Abe Y. Computer Simulation of Hydrodynamic Models for Chemical/Pharmacokinetics. *J Chem Software* 7, 79-86, 2001

Hanioka N, Watanabe K, Yoda R, Ando M. Effect of alachlor on hepatic cytochrome p-450 enzymes in rats. *Drug Chem Toxicol* 25(1), 25-37, 2002

Fukushima N, Matumoto K. The Role of Social Pharmacy Education in Pharmaceutical Science. *Japanese Journal of Social Pharmacy* 20(1), 1-11, 2001

和 文

芝 紀代子, 久保田亮, 栗原由利子, 町井涼子, 鈴木喜久美, 小林静子. 電気泳動法の基礎と応用 第5回 ポリアクリルアミドゲルにふさわしい分析方法. Medical Technology 30, 225-235, 2002

井澤美苗, 松永典子, 森 ちはる, 木津純子, 井澤志名野, 中島慎一, 中島恵美. 介護者向けの薬剤情報集の作成（その2）高齢患者を持つ介護者のための薬剤情報集. 医薬品情報学 3(4), 200-203, 2001

寺崎哲也, 中島恵美, 飯笛 久, 細谷健一, 服部研之. 共培養による血液脳関門再構築モデル. 公開特許公報 (A) P2001, 238681A, 2001

飯笛 久, 服部研之, 中島恵美, 寺崎哲也. 不死化血管内皮細胞株. 公開特許公報 (A) P2001, 231549A, 2001

飯笛 久, 服部研之, 中島恵美, 寺崎哲也. 不死化血管周皮細胞株. 公開特許公報 (A) P2001, 224367A, 2001

牧野純子, 吉山友二, 曹家甫子, 柴崎敏昭, 中島恵美, 鎌田正広, 小澤定延, 丸山寛柚, 増原慶壯, 小林輝明. 胸膜炎患者におけるMeropenemの胸水移行に関する薬物動態学的検討. The Japanese Journal of Antibiotics 55, 77-88, 2002/02

Watanabe N, Masuda A, Matsuda E, Nariai K, Shibasaki T. フェキソフェナジンによる全身アナフィラキシー反応および好酸球增多の抑制. Progress in Medicine 21, 2821-2825, 2001

関根祐子, 高井 泰, 西井 修, 久高法子, 小野澤明子, 木津純子, 荒川義弘, 堤 治. 婦人科領域における腹腔鏡下手術時の至適腸管洗浄法の確立. YAKUGAKU ZASSHI 121(8), 637-645 2001

松本佳代子, 新井進一, 勝瑞京子, 朴 理恵, 毛利隆宏, 高橋紀子, 福島紀子. 薬局における情報環境調査の解析. 社会薬学 20(2), 1-12, 2001

松本佳代子, 斎尾武郎, 栗原千絵子, 丁 元鎮. フェナセチン配合製剤の供給停止までの歴史と配合製剤をめぐる問題点. 臨床と薬物治療 20(9), 970-975, 2001

池田年穂. 『ジャップの収容所』紹介－第Ⅲ部. 共立薬科大学研究年報 45, 13-29, 2001

板垣悦子, 桜木真智子, **高久田 明**, 板垣和男. 五感への刺激が循環器系に及ぼす影響－色彩環境と音環境の検討－. 共立薬科大学研究年報 45, 1-11, 2001