

Title	Biochemical study of the exertional heat stroke
Sub Title	
Author	橋本, 治雄(Hashimoto, Haruo)
Publisher	慶應義塾大学体育研究所
Publication year	1985
Jtitle	体育研究所紀要 (Bulletin of the institute of physical education, Keio university). Vol.25, No.1 (1985. 12) ,p.75- 75
JaLC DOI	
Abstract	
Notes	Abstract
Genre	
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00135710-00250001-0075

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Biochemical Study of the Exertional Heat Stroke

By *Haruo Hashimoto**

1. Fourteen cases of Exertional heat stroke are reported in this paper. Thirteen cases occurred in the hot, humid summer season. One case happened in the winter season. Most cases occurred in the 5th day from the start of the hard training.

2. Serum examination of these patients revealed abnormally high elevation of CPK & LDH.

There was noticed high tendency in the GOT, GPT, and uric acid.

The value of CPK and LDH seems to show a state of the athlete condition most reliably.

The abnormally high elevation of CPK and LDH may be one of the causes of unconsciousness (coma) in the Exertional heat stroke.

3. Emergency treatment including intravenous fluid administration and others are necessary to avoid a irreversible state in the treatment of Exertional heat stroke.

All fourteen cases are rescued and discharged after serum enzymes levels returning to the normal range.

* Professor of the Institute of Physical Education, Keio University. (M.D.)