

Title	Natural convection heat transfer to carbon dioxide near the critical point
Sub Title	
Author	原崎, 堯(Harasaki, Takashi)
Publisher	慶應義塾大学藤原記念工学部
Publication year	1965
Jtitle	Proceedings of the Fujihara Memorial Faculty of Engineering Keio University (慶應義塾大学藤原記念工学部研究報告). Vol.18, No.71 (1965.) ,p.85(21)- 85(21)
JaLC DOI	
Abstract	
Notes	Summaries of Doctor and Master Theses Master of Engineering, 1965 Mechanical Engineering
Genre	Departmental Bulletin Paper
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=KO50001004-00180071-0021

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Natural Convection Heat Transfer to Carbon Dioxide Near the Critical Point

Takashi HARASAKI*

Natural convection heat transfer to fluids near their critical points is becoming increasingly important in convection with such applications as the cooling for the atomic power and gas-turbine plants.

Obtained natural convection heat transfer rates and observed complex fluid motion in the critical region of carbon dioxide, where the physical properties are strongly influenced by the fluid temperature and pressure, are reported in this thesis.

The thin platinum wires, which were electrically heated by the direct current, were provided as the testing heated surfaces. The supplied heat fluxes upon the platinum wire were estimated, measuring the changes in the electrical resistance of the wire by arranged Ampere- and Volt-meters. Moreover, the mean surface temperature of the wire was also determined using the variation of electrical resistance with temperature, which was preliminarily calibrated in detail. The thick-walled copper cylinder, in which the platinum wire and carbon dioxide were equipped, was controlled thermostatically to keep uniform steady temperature fields. The motion of the fluid could be observed and photographed through the window attached to the both ends of the copper cylinder.

In chapter 6, 7 in this thesis, the experimental results relating the heat transfer coefficients with temperature difference between the wire and bulk fluid temperature were described with many graphs and photographs. So called "boiling-like" phenomena, which had been suggested by K. Goldmann in the super-critical region, were also observed exactly and, further more, other unusual phenomena were recognized.

*原 崎 堯