

Title	Studies on the glass ceramics of the system ZnO-MgO-Al ₂ O ₃ -TiO ₂ -SiO ₂
Sub Title	
Author	塩浦, 康三(Shioura, Kozo)
Publisher	慶應義塾大学藤原記念工学部
Publication year	1965
Jtitle	Proceedings of the Fujihara Memorial Faculty of Engineering Keio University (慶應義塾大学藤原記念工学部研究報告). Vol.18, No.71 (1965.) ,p.112(48)- 112(48)
JaLC DOI	
Abstract	
Notes	Summaries of Doctor and Master Theses Master of Engineering, 1965 Applied Chemistry
Genre	Departmental Bulletin Paper
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=KO50001004-00180071-0048

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Studies on the Glass Ceramics of the System $\text{ZnO-MgO-Al}_2\text{O}_3\text{-TiO}_2\text{-SiO}_2$

Kouzou SHIOURA*

1. On the system $\text{ZnO-MgO-Al}_2\text{O}_3\text{-TiO}_2\text{-SiO}_2$, the range of composition, in which vitrification is possible and crystallization happens easily with heat treatment, were estimated.

2. About 50 g batch (extra pure reagents) was melted in a gas furnace. Samples of rods, 1~2 mm dia. were made by drawing.

3. The glass in this system was especially excellent when MgSiO_3 and TiO_2 were added to ZnAl_2O_4 and $\text{MgAl}_4\text{Si}_5\text{O}_{18}$. The samples, which were gradually heat treated till 900°C , softened at 1150°C . Young's modulus of this glass increased with rise of the temperature of heat treatment. The bending strength of the sample was maximum when heat treated at 950°C and decreased by higher temperature treatment. By electron microscopic observation, it was found that the particles of crystals were very fine at 950°C , and the grain growth of these crystals was observable above 1050°C . The quantity of crystal increased slowly between 900° and 1050°C , and increased rapidly with the treatment at higher temperature. From these results, the relation between the mechanical strength and the state of crystal separation, especially the particle size, the distribution of crystals in glass matrix, and the rate of the crystallization were discussed.

*塩浦康三