

Title	Lexical and constructional meanings in Japanese FrameNet
Sub Title	語彙と構文の意味：日本語フレームネットにおける記述の試み
Author	小原, 京子(Hirose Ohara, Kyoko)
Publisher	慶應義塾大学日吉紀要刊行委員会
Publication year	2009
Jtitle	慶應義塾大学日吉紀要. 英語英米文学 (The Hiyoshi review of English studies). No.54 (2009.) ,p.45- 58
Abstract	
Notes	
Genre	Departmental Bulletin Paper
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN10030060-20090331-0045

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Lexical and Constructional Meanings in Japanese FrameNet

Kyoko Hirose Ohara

1. Introduction

This study is a preliminary attempt to represent interactions between semantics of lexical units and constructions of Japanese sentences in Japanese FrameNet (Ohara 2008b, Saito et al. 2008),¹⁾ in terms of combined lexicon and “construction” currently being developed in FrameNet (Fillmore 2008, Baker 2006).²⁾ Japanese FrameNet is an online lexicon-building project, whose model project is FrameNet. Adopting a theoretical framework called Frame Semantics (Fillmore 1968, 1976), FrameNet has been analyzing meanings of English lexical units with respect to the frames they evoke.

Conducting contrastive analyses of Japanese and English, Ohara (2007, 2008a, 2008b) argued that in order to look into how different languages encode the same scene, it is also necessary to make cross-references between lexical units and grammatical constructions in each language rather than only analyzing the semantics of lexical units. This paper investigates how such cross-references can be represented in Japanese FrameNet.

1) The Japanese FrameNet website <http://jfn.st.hc.keio.ac.jp/>

2) The FrameNet website <http://framenet.icsi.berkeley.edu/>

The rest of the paper is structured as follows. In Section 2, I will give a background to the current study. I will start out by briefly presenting the theoretical framework of Frame Semantics, and then introduce the FrameNet and Japanese FrameNet projects. In Section 3, I will explain the method used in the current study. In Section 4, I will discuss four cases of interactions between frames, lexical units, and constructions. Finally, I will summarize the discussion in Section 5.

2. Background

Frame Semantics is a research program in empirical semantics which emphasizes the links between language and experience. In Frame Semantics, each word is described in terms of the conceptual frame it evokes. Here, frame is defined as “a script-like conceptual structure that describes a particular type of situation, object, or event along with its participants and props” (Ruppenhofer, et al., 2006: 5). *Frame* as used in Frame Semantics refers to any system of linguistic choices that can be associated with prototypical instances of scenes (including not only visual scenes but also familiar kinds of interpersonal transactions, standard scenarios, familiar layouts, institutional structures, enactive experiences, body image, and in general, any kind of coherent segment, large or small, of human beliefs, actions, experiences, or imaginings). Each frame has a number of frame elements (hereafter FEs), which can be thought of as semantic roles.

Since 1997 the FrameNet project has been creating an online lexical resource for English, based on Frame Semantics and supported by corpus evidence. Japanese FrameNet has been seeking to produce a comparable frame-semantic lexicon for Japanese since 2002. Its goal is to create a prototype of an online Japanese lexical resource in the FrameNet style, by describing the senses of each word with respect to the frames it evokes and

by annotating corpus examples of each word with frame-semantic tags.

Using the frames defined in FrameNet, Ellsworth et al. (2006) contrasted frames involved in motion descriptions in an English novel and its corresponding Japanese, Spanish, and German translations. They found regularities of translation which had not been previously discussed in terms of the semantic typologies proposed by Talmy (2003) or Slobin (2004). They analyzed frame-evoking words only, however, in accordance with the existing FrameNet method.

The purpose of the current study is to try to represent how the semantics of words interact with the semantics of grammatical constructions. In other words, in addition to examining semantics of frame-evoking words the current study also analyzes semantics of grammatical constructions as well. In this study, I analyzed the same aligned parallel corpus as the one used by Ellsworth et al., namely, Chapter 14 of a Sherlock Holmes novel and two of its Japanese translations.

3. Method

I conducted a contrastive analysis of the two languages, using FrameNet-style frame semantics and Construction Grammar as main tools. First, the reason for using FrameNet-style frame semantics is the following: FrameNet-style Frame Semantics has a scene-based or frame-centered view, which makes it easy for contrastive analysis of texts and their translations. As demonstrated by contrastive and cross-linguistic comparisons by Hasegawa et al. 2006 and Ellsworth et al. 2006, FrameNet-style Frame Semantics has a potential for cross-linguistic applicability.

Second, the reason for employing Construction Grammar as a main tool is that Construction Grammar goes well with Frame Semantics, which is a model of meaning. Especially, two frame-semantic notions, which have

been developed recently in FrameNet, will play an important role in the following analysis (Hasegawa et al. 2008). The first notion is that “Constructions may evoke frames.” Subparts of a construction (construction elements; hereafter CEs) provide semantic information and the semantic information associated with CEs combines to create some kind of a semantic structure. It thus follows that a construction itself may evoke a frame and that its CEs may satisfy the frame’s FEs. The second is the distinction between Inner and Outer CEs. Something internally consisting of juxtaposition of words and phrases externally functions as a “valence” of the construct and corresponds to FEs.

The procedures I adopted in analyzing the parallel corpus are the following:

- 1) Find a corresponding pair of English and Japanese expressions;
- 2) Examine whether the English and Japanese expressions evoke the same frame or not;
- 3) Represent the interactions between the frames, lexical units, and constructions in each language.

4. Interactions between Frames, Lexical Units, and Constructions

In general, texts and their translations into other languages should encode the “same” scenes or frames, but in many cases they do not. I will discuss four cases of mismatches between frames, lexical units, and constructions in the two languages. They can be classified into two types: those that pertain mainly to lexically-evoked frames; and those that have to do with constructionally-evoked frames. Lexically-evoked frames are frames that are evoked by lexical items; and constructionally-evoked frames are evoked by constructions (cf. Section 3).

4.1. Lexically-evoked frame: The same frame in English and Japanese

The first case involves English and Japanese corresponding predicates evoking the same frame but the predicates have different valence patterns. In (1) below, both of the vision verbs in English and Japanese, namely, *see* and *miru*, evoke the `Perception_experience` frame (PERCEIVERS have perceptual experiences that are not necessarily voluntary). In English, the FE PERCEIVER_PASSIVE (the being who has a perceptual experience) is realized as the subject of the sentence, *I*, while the FE PHENOMENON (the entity or phenomenon that the PERCEIVER_PASSIVE experiences with his or her senses) is realized as the direct object, namely, *the lights of a house*. In Japanese, on the other hand, the FE PERCEIVER_PASSIVE is a zero pronoun, while the FE PHENOMENON is realized as the subject of the sentence, namely, *tomosibi ga*.

(1)

E: *I see* _[Perception_experience] *the lights of a house ahead of us.*

J2³⁾: *zenpoo ni tomosibi ga*

forward.direction LOC light NOM

mie _[Perception_experience] *masu yo*

visible POLITE SFP

“Ahead, a light/lights is/are visible.”

(2) is another example of English and Japanese predicates evoking the same `Perception_experience` frame, but this time with verbs of hearing, *hear* and *kikoeru*. Again, the FE PERCEIVER_PASSIVE is realized as the subject in English and as a zero pronoun in Japanese. Moreover, the FE

3) Here and in the rest of the paper, “J1” refers to sentences taken from Nobuhara (1954) and “J2” refers to sentences taken from Suzuki (1956).

PHENOMENON is realized as the direct object in English and as the subject in Japanese.

(2)

E: *I heard*_[Perception_experience] *the crisp sound of boots upon gravel.*

J2: *naga-gutu de zyari o humu, zarizari to yuu oto ga*
 long shoes INSTR gravel ACC step SOUND QUOTE say sound NOM

kikoe_[Perception_experience] *te, ...*

audible

“the crunching sound of stepping on grave with boots was audible...”

Figure 1 represents the interactions between the *Perception_experience* frame and the *Perception_experience* constructions in each of the two languages. For the English sentence, the second line represents grammatical functions (e.g. object) and the third line represents FEs (e.g. PERCEIVER_PASSIVE, PHENOMENON). In Figure 1, “External_Arg” is an abbreviation for “external argument”, which is a term used in Construction




Figure 1. The *Perception_experience* frame and the *Perception_experience* constructions in English and Japanese

Grammar and Frame Semantics to refer to a “subject” (Ruppenhofer 2006). For the Japanese sentence, the third line represents grammatical functions and the fourth line FEs. “DNI” in the third line is an abbreviation for “Definite Null Instantiation,” which is a term used in Construction Grammar and Frame Semantics to refer to a type of zero pronouns (ibid.).

4.2. Lexically-evoked frames: Different frames in English and Japanese

The second contrast between English and Japanese involves different lexically-evoked frames but somehow the linguistic expressions in the two languages seem to convey comparable meanings.

In (3), the English predicate shown in bold evokes the MOTION frame (THEME starts out at SOURCE and ends up at GOAL, having covered some space between the two (PATH)). On the other hand, the Japanese predicate *hirogaru* in bold evokes the EXPANSION frame (An ITEM changes its physical size).

(3)

E: *It's **moving**_[Motion] towards us, Watson.*

J1: *ano kiri wa kotti e **hiroga**_[Expansion] tte kuru ne, watonson-kun*
 that fog TOP this. way GOAL spread come SFP Watson
 “That fog is **spreading** this way, Watson.”

Here, it is possible to say that whereas the English original sentence focuses on the motion of the fog, the Japanese expression focuses on the state change of the fog. The contrast between focus on motion and focus on state in English and Japanese has been pointed out by Ikegami (1991) and others.

(4) is another example in which lexical units evoking different frames in the two languages, but they end up conveying similar meanings.

(4)

E: *he emerged*_[Departing] *into the clear, starlit night.*J1: ... *sumikitta hosiakari no yoru ni na*_[Becoming] *tta*
clear starlit GEN night DAT become.PAST
“... (it) **became** a clear starlit night ...”

Here, the English predicate evokes the *Departing* frame (A *THEME* moves away from a *SOURCE*). The Japanese predicate *naru*, on the other hand, evokes the *Becoming* frame (An *ENTITY* ends up in a *FINAL_STATE* or *FINAL_CATEGORY* which it was not in before). The English sentence and the Japanese sentence may be characterized as focusing on an individual entity and focusing on the whole scene respectively. Such contrast is another example of preferred encoding patterns in the two languages discussed by Ikegami (1991).

4.3. Constructionally-evoked frame: Different frames in English and Japanese (1)

The third and fourth cases involve constructionally-evoked frames.

In (5), as the segment highlighted by bold shows, the English original sentence employs *tied*, which evokes the *Being_attached* frame (“An *ITEM* is attached via a *CONNECTOR*, to a *GOAL*.”), while the Japanese translation pertains to *sibaritukeru* ‘bind,’ evoking the *Attaching* frame (“An *AGENT* attaches an *ITEM* to a *GOAL* by manipulating a *CONNECTOR*, creating an asymmetric relationship between the *ITEM* and the *GOAL*.”).

Transitive volitional verbs in Japanese, including verbs of attaching, when followed by the auxiliary form *te aru*, describe a resultant state of an action. Therefore, the verb *sibaritukeru*, together with the auxiliary verb *te aru*, “focuses on the resultant state of a past action rather than the action

itself” (Hasegawa, 2005: 229).

(5)

E: *To this post a figure was **tied**_[Being_attached], so swathed and muffled in the sheets which had been used to secure it that one could not for the moment tell whether it was that of a man or a woman.*

J1: *kono hasira ni siitu o guruguru to makitukete,*
 this pillar LOC sheets ACC MANNER COMPL swathed
tyotto mita no de wa otoko ka onna ka wakaranai
 little seeing NOM COP TOP man Q woman Q tell-NEG
ningen ga hitori sibarituke_[Attaching] te a-tta
 person NOM one bind exist-PAST

“To this pillar a person, who was swathed in sheets and whom one could not tell whether it was a man or woman, **had been bound**.”

I argue that (5) is an instance of the *Resultant_state* construction in Japanese. As I mentioned in Section 3, there are two types of CEs: Inner and Outer. In the *Resultant_state* construction, as shown in Figure 2, the Inner CEs consist of *ACTION* (e.g. *sibarituke*) and the *RESULTATIVE_MARKER* (*te aru*). The two Inner CEs combine to form a state expression which has a valence, i.e. an Outer CE: *ENTITY*. The Outer CE is linked to the FE *ENTITY* in the *Resultant_state* frame, which describes an *ENTITY*'s *STATE* resulting from an *ACTION*. In other words, the *Resultant_state* construction evokes the *Resultant_state* frame, which is compatible with the *Attaching* frame evoked by the predicate *sibarituke*.




Figure 2. The *Resultant_state* frame and the *Resultant_state* Construction in Japanese

4.4. Constructionally-evoked frame: Different frames in English and Japanese (2)

The last case I introduce involves another constructionally-evoked frame, exemplified by the Japanese sentence in (6).

(6)

E: *There were only two men in the room, Sir Henry and Stapleton.*

J1: **miru to,** *syokudoo ni wa henrii kyoo*
 look CONJ dining.room LOC TOP Henry Sir
to suteepuruton ga iru bakari dearu
 and Stapleton NOM exist ONLY COP

“**When (I) looked,** (I saw) there are only Sir Henry and Stapleton in the dining room.”

In the Japanese sentence, as shown in bold, the vision verb *miru* is followed by the conjunctive marker *to*, and then by a main clause encoding a scene. The vision verb is often not accompanied by a subject and in that case the subject is understood to be the narrator. In other words, the narrator is construed as the perceiver and the main clause reports a scene from the

perspective of the narrator.

The construct corresponding to the Inner CE *PERCEPTION* is often the verb of seeing *miru*, as in (6). A verb of awareness *omou* “surmise” may also be used for the Inner CE *PERCEPTION*, as shown in (7).

(7)

E: ... *our friend's eyelids shivered and he made a feeble effort to move.*

J1: *henrii kyoo wa mabuta o pikupiku saseta*

Henry Sir TOP eyelids ACC MANNER caused

ka to omou to, tuduite kasukani

Q QUOTE surmise CONJ then slightly

karada o ugokasita

body ACC moved

“**When (I) surmised that Sir Henry had blinked**, (I saw) he slightly moved his body.”

The interaction between the *Perspective_providing* frame and the *Perspective_providing* construction in Japanese is represented in Figure 3. In the *Perspective_providing* construction, two In-




Figure 3. The *Perspective_providing* frame and the *Perspective_providing* Construction in Japanese

ner CEs, *PERCEPTION* (e.g. *miru*, *omou*) and the *MARKER* (*to*), combine to form a perspective-providing expression which has a valence, i.e. an Outer CE: *PHENOMENON*. The Outer CE is linked to the FE *PHENOMENON* in the *Perspective_providing* frame.

5. Summary

To summarize, by identifying contrasting pairs of English and Japanese expressions with respect to frames, lexical units, and grammatical constructions, I have attempted to represent the interactions between the semantics of lexical units and that of constructions in Japanese. I have discussed four cases of such interactions: two of them involved lexically-evoked frames; and the other two involved constructionally-evoked frames. It is hoped that the study will give support to the new FrameNet direction of combining lexicon and “constructicon” (Fillmore 2008).

Acknowledgments

An earlier version of this paper was presented as “Representing Lexicon and Grammar in Japanese FrameNet” at the Fifth International Conference on Construction Grammar (ICCG5) at the University of Texas at Austin in September 2008. I would like to thank the audience at the conference and my colleague Charles De Wolf for their valuable comments and discussion.

The contrastive analysis presented in this paper was supported by Japan Society for the Promotion of Science (JSPS) under the Japan-U.S. Cooperative Science Program. Construction of a prototype of Japanese FrameNet has been supported by the Ministry of Education, Culture, Sports, Science and Technology (MEXT) Grant-in-aid for Scientific Research Priority Area Program “the Balanced Corpus of Contemporary Written Japanese (BCCWJ)” (Japanese Corpus) under the supervision of Dr. Kikuo Maekawa.

References

- Baker, Collin F. (2006). Frame semantics in Operation: The FrameNet Lexicon as an Implementation of Frame Semantics. Plenary Lecture at the Fourth International Conference on Construction Grammar (ICCG4). September 3, 2006. The University of Tokyo, Japan.
- Ellsworth, Michael, Kyoko Ohara, Carlos Subirats, Thomas Schmidt. (2006). Frame-semantic Analysis of Motion Scenarios in English, German, Spanish, and Japanese. Paper read at the Fourth International Conference on Construction Grammar (ICCG4). September, 2006. The University of Tokyo, Japan.
- Fillmore, Charles J. (1968). The Case for Case. In *Universals in Linguistic Theory*. Ed. By E. Bach and R. Harms. 1-88. New York: Holt Rinehart and Winston.
- Fillmore, Charles J. (1976). Frame semantics and the nature of language. In *Annals of the New York Academy of Sciences: Conference on the Origin and Development of Language and Speech*. Vol. 280: 20-32.
- Fillmore, Charles J. (2008). FrameNet meets construction grammar. In E. Bernal & J. DeCesaris (Eds.), *Proceedings of the XIII Euralex International Congress*. 49-68. Barcelona: Institut Universitari de Lingüística Aplicada.
- Hasegawa, Yoko. (2005). *Elementary Japanese*. Volume Two. Tokyo, Tuttle Publishing.
- Hasegawa, Yoko and Kyoko Hirose Ohara, Russell Lee-Goldman, Charles J. Fillmore. (2006). Frame Integration, Head Switching, and Translation: RISK in English and Japanese. Paper presented at the Fourth International Conference on Construction Grammar (ICCG4). September, 2006. The University of Tokyo, Japan.
- Hasegawa, Yoko, Kyoko Hirose Ohara, Seiko Fujii, Russell Lee-Goldman, and Charles J. Fillmore. (2008). Constructions for measurement and comparison in Japanese and English. Paper presented at the Fifth International Conference on Construction Grammar (ICCG5). September, 2008. University of Texas at Austin.
- Ikegami, Yoshihiko. (1991). 'DO-language' and 'BECOME-language': Two contrasting types of linguistic representation. *The empire of signs: semiotic essays on Japanese culture*, ed. by Yoshihiko Ikegami, 285-326. Amsterdam/Philadelphia: John Benjamins Publishing Company.
- Ohara, Kyoko Hirose, Seiko Fujii, Toshio Ohori, Ryoko Suzuki, Hiroaki Saito, Shun

- Ishizaki. (2006). Frame-based Contrastive Lexical Semantics and Japanese FrameNet: The case of RISK and *kakeru*. Paper presented at the Fourth International Conference on Construction Grammar (ICCG4). September, 2006. The University of Tokyo, Japan.
- Ohara, Kyoko Hirose. (2007). "Frame Semantics in Action: A Frame-based Contrastive Text Analysis Using FrameNet." Poster presented at the 10th International Cognitive Linguistics Conference (ICLC10). July, 2007. Krakow, Poland.
- Ohara, Kyoko Hirose. (2008a). "A Frame-semantic Contrastive Text Analysis: Toward Representation of Lexicon and Grammar in FrameNets." 『慶應義塾大学日吉紀要 英語英米文学』 第52号pp. 25-38.
- Ohara, Kyoko Hirose. (2008b). "Lexicon, Grammar, and Multilinguality in the Japanese FrameNet." *The Proceedings of the 6th International Conference on Language Resources and Evaluation (LREC2008)*.
- Ruppenhofer, Josef. Ellsworth, Michael, Petruck, Miriam R. L., Johnson, Christopher R., and Scheffczyk, Jan. (2006). FrameNet II: Extended Theory and Practice.
- Saito, Hiroaki, Shunta Kuboya, Takaaki Sone, Hayato Tagami, Ohara, Kyoko. (2008). "The Japanese FrameNet Software Tools." *The Proceedings of the 6th International Conference on Language Resources and Evaluation (LREC2008)*.
- Slobin, Dan I. (2004). The Many Ways to Search for a Frog. *Relating Events in Narrative. Vol. 2*. Sven Stromqvist and Ludo Verhoven. New Jersey, Lawrence Erlbaum Associates: 219-257.
- Talmy, Leonard. (2003 (2000)). *Toward Cognitive Semantics*. Cambridge, MIT Press.

TEXTS

- Arthur Conan Doyle. 1901-1902. *The Hound of the Baskervilles*. Project Gutenberg:
www.gutenberg.org
- Transl. Ken Nobuhara. 1954. *Basukaviru ke no inu*. Shinchosha.
- Transl. Yukio Suzuki. 1956. *Basukaaviru ke no inu*. Kadokawa Shoten.