

Title	Studies on thiazoline and thiazolidine derivatives. XI. synthesis of 3-N-alkylthiocarbamoyl-2-alkyliminothiazolidines
Sub Title	
Author	山本, 有一(Yamamoto, Yuichi) 与田, 玲子(Yoda, Reiko) 松村, 万喜子(Matsumura, Makiko)
Publisher	共立薬科大学
Publication year	1975
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.20 (1975.) ,p.124- 125
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000020-0124

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Studies on Thiazoline and Thiazolidine Derivatives. XI¹⁾.
Synthesis of 3-N-alkylthiocarbamoyl-2-alkyliminothiazolidines*


YUICHI YAMAMOTO, REIKO YODA and MAKIKO MATSUMURA

山本 有一，与田 玲子，松村万喜子

The compounds synthesized through the route (a) and the route (b) as shown in Chart 1 have been assigned by S. Gabriel in the past and by E. Cherbuliez, et al. recently to Type A, N-alkyl-N'-alkyl-N'-(2-thiazolin-2-yl) thiourea (5).

We had some doubt in the structure of the above compounds synthesized through the route (a) and (b), so they were hydrolyzed with 15% H_2SO_4 to give Type B, 3-N-alkylthiocarbamoyl-2-oxothiazolidine (6) which was assigned with infrared spectrum (IR), Mass Spectra and nuclear magnetic resonance (NMR) data and confirmed by synthesis of 6 through the route (C).

Thus, it was confirmed that the compounds obtained by our synthesis through



* 本報告は Chem. Pharm. Bull., (Tokyo), **23**, 2135 (1975) に発表.

1) Part X: Y. Yamamoto and R. Yoda, Bull. Kyoritsu Pharm. College, **18**, 53 (1973).

the route (a) and (b) possessed the Type B structure ; 3-N-alkylthiocarbamoyl-2-alkyliminothiazolidine (4), instread of the Type A structure.

The data for ultraviolet spectrum (UV), IR, MS and NMR are shown in Table I, II and III.