

Title	Rapid anion-exchange separation of berkelium with mineral acid-methyl alcohol mixtures
Sub Title	
Author	白田, 重和(Usuda, Shigekazu) 吉川, 英樹(Yoshikawa, Hideki) 間柄, 正明(Magara, Masaaki) 初川, 雄一(Hatsukawa, Yuichi)
Publisher	共立薬科大学
Publication year	1988
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.33 (1988.) ,p.176- 176
JaLC DOI	
Abstract	
Notes	抄録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000033-0176

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the Keio Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Rapid Anion-Exchange Separation of Berkelium with Mineral Acid-Methyl Alcohol Mixtures*

Shigekazu USUDA**, Hideki YOSHIKAWA, Masaaki MAGARA**,
and Yuichi HATSUKAWA***

臼田重和**, 吉川英樹, 間柄正明**, 初川雄一***

Adsorption behaviour of Bk/III/ on anion-exchange resin in mineral acid-methyl alcohol mixtures has been investigated. Berkelium was successively separated with a HCl-CH₃OH mixture at elevated temperatures within 5 min from an Al catcher foil collecting the recoil products of the $^4\text{He} + ^{241}\text{Am}$ reaction. The counting source of Bk was immediately prepared for alpha- and X-ray spectrum measurements. Rapid separation of Bk from Ce was also performed by the use of a HNO₃-CH₃OH mixture.

* 本報告は *J. Radioanal. Nucl. Chem., Letters*, **117** (6), 329—336 (1987) に発表.
** 日本原子力研究所
*** 東京都立大学理学部