Keio Associated Repository of Academic resouces

Relational Repository of Meddernie resources	
Title	Effects of 3, 3'-dihydroxy-α, β-diethylstilbene and 3, 3', 4, 5'-tetrahydroxystilbene on microtubule assembly in vitro, aneuploidy induction, and cellular microtubule and actin networks
Sub Title	
Author	榊原, 由美子(Sakakibara, Yumiko) 斎藤, 泉(Saito, Izumi) 小田, 泰子(Oda, Taiko) 辻坊, 裕(Tsujibo, Hiroshi) 稲森, 善彦(Inamori, Yoshihiko) 佐藤, 良博(Sato, Yoshihiro)
Publisher	共立薬科大学
Publication year	1992
Jtitle	共立薬科大学研究年報 (The annual report of the Kyoritsu College of Pharmacy). No.37 (1992.) ,p.67- 67
JaLC DOI	
Abstract	
Notes	沙録
Genre	Technical Report
URL	https://koara.lib.keio.ac.jp/xoonips/modules/xoonips/detail.php?koara_id=AN00062898-00000037-0067

慶應義塾大学学術情報リポジトリ(KOARA)に掲載されているコンテンツの著作権は、それぞれの著作者、学会または出版社/発行者に帰属し、その権利は著作権法によって 保護されています。引用にあたっては、著作権法を遵守してご利用ください。

The copyrights of content available on the KeiO Associated Repository of Academic resources (KOARA) belong to the respective authors, academic societies, or publishers/issuers, and these rights are protected by the Japanese Copyright Act. When quoting the content, please follow the Japanese copyright act.

Effects of 3,3'-Dihydroxy-α,β-diethylstilbene and 3,3',4,5'Tetrahydroxystilbene on Microtubule Assembly in vitro, Aneuploidy Induction, and Cellular Microtubule and Actin Networks*

Yumiko Sakakibara, Izumi Saito, Taiko Oda, Hiroshi Tsujibo,**
Yoshihiro Inamori**, and Yoshihiro Sato

榊原由美子, 斎藤 泉, 小田泰子, 辻坊 裕**, 稲森善彦**, 佐藤良博

We examined the inhibitory activities of 3,3'-dihydroxy- α , β -diethylstilbene (DDS) and 3,3'4,5'-tetrahydroxystilbene (THS) on microtubule assembly in vitro and their effects on chromosome number and cellular microtubule networds in Chinese hamster V79 cells. DDS showed half the inhibitory activity of diethylstilbestrol (DES) on microtubule assembly *in vitro*, while THS had none of the inhibitory activity. DDS induced tetraploid at 30 μ M, whereas THS was found to be inactive. Furthermore, DDS disturbed cellular microtubule networks at 100 μ M.

We also examined the effects of DES, DDS and THS on cellular action networks in mouse BALB 3T3 cells. DES induced a change of actin stress fiber distribution and TIIS had similar activity, while DDS showed no activity.

^{*} 本報告は Chem. Pharm. Bull., 40 (8), 2115-2119, 1992に発表.

^{**} 大阪薬大·微生物